2016 RAM 4500 HD OSAGE "2148 WARRIOR" TYPE I STANDARD FEATURES

MEMBER AMD and FORD QVM PROGRAM CERTIFIED KKK-1822-F

CHASSIS

- 2016 Ram 4500 w/ AH2 Amb Prep Pkg
- 168.5" Wheel Base w/ Dual Rear Wheels
- GVWR: 16,500 LBS
- 6.7 L I6 Cummins Turbo Diesel w/ Ram Block Heater
- Ram Engine Hour Meter
- Voltage Monitoring Auto Idle Up System
- Allison 6-Speed Automatic Transmission With Tow/Haul mode
- 4-Wheel Disc Brakes w/ ABS
- Stainless Steel Wheel Inserts
- Aluminum Diamond Plate Running Boards
- Rear Mud Flaps

- Dual Air Bags
- Dodge SLT Trim Package
- Dual Map Lights
- Tilt Steering Wheel & Cruise Control
- Electric Windows & Door Locks
- Keyless Remote Entry
- AM/FM Stereo Clock Radio w/ CD & Cassette
- Clothe High Back Seats
- Rubber Floor Mat I.L.O. Carpet
- OEM Mirrors, Heated and Power Adjust
- Daytime Running Lights
- Choice of 2WD or 4WD

MODULE

- Module Dimensions: 148"L x 83"H x 96" W
- Totally "Seamless" Body Construction
- Exterior Side & Roof Panels .125" Aluminum
- One-Piece Exterior Side Panels
- One-Piece Crowned Roof
- Frame Members 2" x 2" Aluminum Tubing
- Frame Members on 12" Centers
- Diamond Plate Shields:
 - * Across Lower Rear of Body
 - * Across Lower Front of Body
 - * Lower 1/3 of Entry Doors
- All Exterior Doors "Pan-Formed" / Extruded Double Break Construction

- All Body Openings "Seamless"
- All Door Latches Mounted Behind Gaskets
- Exterior Compartment @ Front Left for Storage of Oxygen Tank and Back Boards
- Curbside Backboard Storage
- Exterior Compartment Adjustable Shelving
- Exterior Compartment Lighting
- Cast "Grabber" Door Holders
- Lower Body Impact Rub Rails
- Polished Stainless Steel Fenderettes
- Grip Strut Rear Step Bumper w/ 4" x 18" Dock Bumpers
- Automotive Undercoating

WARNING SYSTEM

- Two Red Whelen 5x2 LED's Mounted in Grill
- Two Red Whelen 5x2 LED Intersection Lights

Mounted in the Front Fenders

- Eight Red LED Whelen 9x7 Modular Lights
- One Clear LED Whelen 9x7 Front Center Modular Light
- One Amber LED Whelen 9x7 Rear Center Modular Light
- Two Optic Halogen Whelen 9x7 Scene Lights, Per Side

- Two Optic Halogen Whelen 9x7 Rear Lights
- Primary / Secondary Switching
- Carson SA 400 Siren
- Cast Siren Speaker
- Siren / Horn Switch
- Rear DOT Lighting Whelen LED 4x6 w/ Chrome Flanges: Red Tail / Brake, Amber Arrow Turn, Reverse NOTE: Reverse is Halogen
- LED Clearance / Marker Lights

PAINT & MARKINGS

• 8" Belt Line Paint Stripe Signs

• "No Smoking" & "Fasten Seat Belt"

Page 1 of 2

• Base Coat / Clear Coat Modular Paint

• Ambulance / Star-of-Life Decals

Page 2 of 2

2016 RAM 4500 HD OSAGE "2148 WARRIOR" TYPE I

ELECTRICAL

- Dodge OEM Alternator, 220 Amps
- Digital Voltmeter
- Audible Low Voltage Alarm
- Bosch, Vanner, Cole-Herse & R/C Tronics Components
- Printed Circuit Board w/ Load Management & Sequencing System
- LED Diagnostic System
- Wiring Color-Coded and Heat Embossed Every 6" w/ Function
- Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area
- Front Switch Console Mounted on the Floor

- Hinge Mounted Attendant Switch Console
- Control Console Backlighting Dimmer
- Battery Switch Activated via Ignition Switch
- Open Door Warning Light
- Three Light Silent Intercom
- Hand Held 300,000 CP Spotlight
- Whelen Dual Intensity LED Patient Compartment Dome Lights
- Exterior Weatherproof Shoreline Receptacle
- Two Interior 110V Duplex Receptacles
- Two Interior 12V Cigar Style Receptacles
- One Pre-Wire Antenna Cable
- Electrical Back-up Alarm w/ Auto Re-set

INTERIOR

- 72" Interior Headroom
- 49" Aisle Width
- All Vertical Corners 1" Radii
- Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"
- Lon-Plate non skid Vinyl Flooring Rolled 3" Up Both Sides of Aisle
- EMT Seat, Rear Facing Pedestal Mounted Deluxe **Seamless** Vinyl Captains Chair
- CPR Seat, three piece molded, contoured cushions
- Squad Bench
- Retractable Seat Belts for All Locations
- Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.
- Handicap Style, 1 ½" Diameter, Stainless Steel

Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.

- Double entry step on curbside entry door.
- Sliding "Pass-thru" Window Between Cab and Patient Compartment

- ALS Compartment w/ In/Out Access
- 2 Adjustable & 1 Fixed Shelf in ALS
- R-29 Reflectix Insulation throughout Module
- Thermostatically Controlled Patient Compartment Heat & Cool System
- 3-Speed Manual Fan Control
- Rear Heat & Cool Unit Mounted Floor Level;
 - * Moisture Drains Directly Through Floor
 - * Short Coolant Circulation Distance
 - * Eliminates Vertical Circulation of Coolant
 - * Unit Easily Accessible for Maintenance
- Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation
- Two Recessed, Swing-up Dual IV Hangers
- "Zico" Retaining Bracket for Oxygen "M" Cyl
- Three "Ohio" Oxygen Outlets
- Impact #324 Self-Contained Suction System
- Locking Sharps Container (Shipped Loose)
- Locking Drug Compartment
- Clock w/ Sweep Second Hand
- Stryker "Performance Load" Cot Fastener
- Seamless Seat Cushions

• Padded Bulk-Head Cabinet Doors

WARRANTY

- Three Year / 36,000 Mile Product Conversion Five Year / 100,000 Mile Modular Paint
 - Six Year / 72,000 Mile Electrical System Lifetime Modular Body Structure "NON PRO-RATED"

NOTE: See Warranty Certificate for Details

OSAGE AMBULANCE • P.O. BOX 718 • LINN, MO. 65051 800-822-3634 • FAX: 573-897-3113

Page 3 of 2

www.osageambulances.com

Page 4 of 2