



QUOTATION

Exp. Date:	02/02/2023	
Quote No:	10618-0001	
TANKER:	FB-ST-SA-A	SUPER TANKER, SINGLE AXLE, 1500-2200 GALLONS
ADMIN:	FB-02-0020	ADMINISTRATIVE - TANKER
DIMENSIONS:	FB-11-0030	DIMENSIONS - SUPER TANKER, SINGLE AXLE
NFPA 1901:	FB-05-0020	NFPA 1901 REQUIREMENTS - TANKER
CHASSIS:	FB-09-0030	COMMERCIAL CHASSIS, SINGLE AXLE
CHASS MOD:	FB-12-0030	CHASSIS MODS - TANKER, SINGLE AXLE
PLUMBING:	FB-20-0030	PUMP & PLUMBING - TANKER
BODY:	FB-40-0032	SUPER TANKER BODY - SINGLE AXLE, WETSID, STANDARD
ELEC-12VDC:	FB-50-0020	12V ELECTRICAL SYSTEM - TANKER
PAINT:	FB-70-0032	PAINT/ PREP/ STRIPE/ WETSID TANKER, SINGLE AXLE
LSE-EQUIP:	FB-80-0030	LOOSE EQUIPMENT - TANKER, SINGLE AXLE
WARRANTY:	FB-10-0020	WARRANTY- TANKER, COMMERCIAL

01/03/2023

Page 1

DESCRIPTION	QTY
== ADMINISTRATIVE - TANKER - 7.000 02/14/22 ==	1
Terms of Payment, 100% at Delivery	1
Vehicle Pickup at Factory	1
-- Fuel/DEF Tnks, Full at Delivery	1
== DIMENSIONS - SUPER TANKER, SINGLE AXLE - 7.000 02/14/22 ==	1
==== NO Overall Height Restriction, PTS =====	1
==== NO Overall Length Restriction, PTS =====	1
==== NO Overall Width Restriction - PTS =====	1
==== NO Overall Wheelbase Restriction - PTS =====	1
==== NO Overall Pump Module Width Restriction, PTS =====	1
==== NO Angle of Approach Restriction, PTS =====	1
==== NO Angle of Departure Restriction, PTS =====	1
== NFPA 1901 REQUIREMENTS - TANKER - 7.000 02/14/22 ==	1
NFPA 1901-2016	1
NFPA 1901-2016 Compliance, Mobile Water Supply	1
-- Center of Gravity, Calculated	1
-- Road Test Certification	1
-- Vehicle Top Speed, 60 mph	1
PLACARDS and LABELING	1
-- Label, FAMA #7: Seated and Belted	1
-- Label, FAMA #10: Cab Equipment Mounting	1
-- Label, FAMA #15: "Helmet Worn in Cab"	1
-- Label, FAMA #17: "Vehicle Backing"	1
-- Labels, "Do Not Move Apparatus"	1
-- Label, Chassis Data Labels, 1901	1
-- Label, Overall Height, Length, GVWR	1
-- Label, Warning, "No Ride Rear Step"	1
== COMMERCIAL CHASSIS, SINGLE AXLE - 7.000 02/14/22 ==	1

DESCRIPTION	QTY
COMMERCIAL CHASSIS	1
Chassis, Commercial, Supplied By Fouts Bros.	1
-- Chassis, Freightliner, 2-Dr, M2 106, Single Axle	1
CHASSIS PAINT COLOR	1
-- Cab Paint, Ftl M2 106 Reg Cab, Single Color	1
-- Cab Paint Primary/Lower Color No Selection/TBD	1
== CHASSIS MODS - TANKER, SINGLE AXLE - 7.000 02/14/22 ==	1
SCBA SEAT BRACKETS	1
-- ===== NO SCBA Seat Brackets - PTS =====	1
TIRE CHAINS	1
-- ===== NO Automatic Tire Chains - PTS =====	1
TIRE PRESSURE MONITORING SYSTEMS	1
-- Tire Prss Monitoring Dvce, LED AirGuard, 6 Wheel	1
WHEEL TRIM and COVERS	1
-- Wheel Trim, Single Axle, Chrome, Frnt Cvr, Rr High Hats, & Lug Nut Cvr	1
EXHAUST SYSTEMS	1
-- Chassis Exhaust - Chassis Supplied	1
-- Label, FAMA #04: "Hot Exhaust Dangers"	1
FRONT BUMPER	1
-- Front Bumper - Chassis Supplied	1
FRAME PREP and MODIFICATIONS	1
-- Chassis Preparation, Commercial	1
-- Front Tow Hooks - Chassis Supplied	1
-- Tow Eyes, (2), Rear Frame Rail	1
MUD FLAPS	1
-- Front Mud Flaps, (2) - Chassis Supplied	1
-- Rear Mud Flaps, (2), Fouts Logo	1
VEHICLE DATA RECORDER AND SEATBELT MONITOR SYS	1
-- VDR and Seat Belt Warning, Class1	1
-- VDR Download Harness, Class1	1
CONSOLES and EQUIPMENT	1
-- Center Elec Console, Comm Tanker/ Pumper/ Rescue	1
BATTERY SYSTEMS and SHORELINE PLUG-INS	1

DESCRIPTION	QTY
-- Battery System - Chassis Supplied	1
-- Battery Jumper Studs - Chassis Supplied	1
-- Ignition Swtch, Keyless - Chassis Supplied	1
-- Master Battery Disconnect Switch - Chassis Supplied	1
-- Kussmaul, Chief 6012, 60 Amp	1
-- Battery Charger Location, Per Manufacturer	1
-- Shore Power Inlet, Kussmaul, Super Auto-Eject 20A	1
-- Auto-Eject Mating Plug, NEMA 5-20P	1
-- Chief Status Center w/ Cover, 091-55-266-YW, Yellow	1
-- Auto Eject Location, Per Manufacturer	1
-- Aux Air Cmp, Kussmaul, 12V	1
-- Aux Air Compressor Location, Per Manufacturer	1
-- ===== NO Chassis Air Brake System Options- PTS =====	1
BACK UP ALARM	1
-- Back Up Alarm, 97db	1
== PUMP & PLUMBING - TANKER - 7.000 02/14/22 ==	1
PUMP	1
-- Fire Pump, Hale, MBP, 1 Stage, PTO	1
-- Pump Warranty, Hale, 5 Yr (2 Yr Prts & Lbr, Prts Only Yrs 3-5)	1
-- Pump Install, Midship PTO	1
-- Pump Flow Rating, Hale, MBP, 1000 GPM	1
-- PTO, Chelsea, 870-XDFJP-B5XV	1
MASTER INTAKE(S)	1
-- Intake, 6.00", NST, Ungated, LH Side, Pump Panel	1
-- Standard Suction Tube Length	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
-- Intake, 6.00", NST, Ungated, RH Side, Pump Panel	1
-- Standard Suction Tube Length	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
PUMP SHIFT, HALE, PTO	1
-- Pump Shift, Hale, PTO, Stationary Pumping	1
PUMP EQUIPMENT, HALE	1
-- Plumbing System, Hale	1
-- Valves: Akron, Gen II	1
-- Drains, 0.75" Mnl, Class1, 1/4 Turn	1
-- Discharge Gauges, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Pump Certification	1
PRIMING SYSTEM	1
-- Pump Primer, Trident, Air, 2 Barrel, 31.003.7	1
PUMP OPTIONS	1
-- Intake Relief Valve, Hale, 2.50" NST	1
PRESSURE GOVERNOR	1
-- Governor, FRC, PumpBoss Max	1

DESCRIPTION	QTY
GATED INTAKE(S), HALE	1
-- Aux Suction, 2.50", LH Side, Pump Panel	1
-- Intk Vlv Cntrl, Mnl Swing Type-Adjacent	1
-- Plug, 2.50" Chrome, NST, w/ Chain	1
TANK TO PUMP VALVE(S), HALE	1
-- Vlv, Tank to Pump, 3.00"	1
-- Vlv Cntrl, Air, Pump Panel	1
TANK FILL VALVE(S), HALE	1
-- Tank Fill Line, 2.00"	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
DISCHARGE, LH FRONT PANEL	1
-- Dschg, 2.50", LH Side, Pump Panel, Frnt	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
DISCHARGE, LH REAR PANEL	1
-- Dschg, 2.50", LH Side, Pump Panel, Rr	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
DISCHARGE, RH FRONT PANEL	1
-- Dschg, 2.50", RH Side, Pump Panel, Frnt	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
DISCHARGE, RH REAR PANEL	1
-- Dschg, 2.50", RH Side, Pump Panel, Rr	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
UPPER MODULE AREA	1
-- Crosslays, 1.5" (qty 2) w/ (2) Dividers & Deadlay (No Dunnage)	1
DISCHARGE(S), CROSSLAYS	1
-- Crosslay Dschg #1- One (1) 1.75", Above Mod	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1

DESCRIPTION	QTY
-- Crosslay Dschg #2- One (1) 1.75", Above Mod	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Deadlay, Above Pump House, No Hose Connection	1
-- Crosslay Dividers, (2), 3/16" Alum, w/ Hand Holes	1
-- Vinyl Crosslay Cover	1
-- Vinyl Cover Color, Red	1
MASTER GAUGES	
-- Gauge, Master Press, Class1, 4.50", 0-400#, Wht, Blk Ltrs	1
-- Gauge, Master Intake, Class1, 4.50", -30-400#, Wht, Blk Ltrs	1
TANK LEVEL INDICATOR(S)	
-- Water Lvl Gauge, Class1 "ITL-40R", Red, Pump Panel	1
-- Water Lvl Gauge, Hale, 610-00049, Mini, Cab	1
PUMP ENCLOSURE	
-- Pump House, Side Mount, Ext Alum	1
-- Module Width: 36.00"	1
-- Pump Panels, 14 GA, #4 Brushed Finish, 304 SS	1
-- Gauge Panel, Horiz Hinged	1
-- Pump Panel, RH Side, Vert Hngd Access Door	1
PUMP PANEL/ ENCLOSURE LIGHTS	
-- Pump Panel Lt, LH Side, LED, Strip	1
-- Pump Panel Lt, RH Side, LED, Strip	1
-- Lt, Cntrls, Switch on pump panel	1
-- Pump Compt. Lhts, (2), LED	1
PUMP MODULE RUNNING BOARDS	
-- Running Brd, LH Pump Panel, Alum T/P	1
-- Running Brd, RH Pump Panel, Alum T/P	1
PUMP ENCLOSURE HEATERS and HEAT PANS and GASKET	
-- Alum T/P Cover, Pump Module, Front - Inc w/ Module	1
-- Alum T/P Cover, Pump Module, Rear	1
-- ===== NO Pump House Heater - PTS =====	1
-- ===== NO Pump House Heat Pan - PTS =====	1
PUMP PANEL LABELING	
-- Label, FAMA 22, Hose Restraint Required	1
-- Label, FAMA 18, Intake and Discharge Cap Pressure	1
-- Label, FAMA 25, Trained Personal Only	1
-- Label, Pump ID Plate, IC	1
-- Labels, Color Coded, Innovative Controls	1
== SUPER TANKER BODY - SINGLE AXLE, WETSID, STANDARD - 7.000 02/14/22 ==	1
WATER TANK	
Water Tank, UPF Poly III, 2000 Gallon	1
-- Fill Tower, Anti-Surge, 14.00" x 14.00", <3500 Gals	1

DESCRIPTION	QTY
-- Fill Tower, Lft, Frnt, Tank	1
-- Overflow Pipe, 6.00" I.D.	1
-- Sump, 4.00"	1
-- Water Tank Clean-out & Plug, 4.00", w/ Flange Connection	1
-- Tank Mounting	1
-- Tank Mntg Blcks, (4) 29.50" x 12.00" x 1.00", (2) each side	1
-- Tank Mntg Bck, 1.00" Rear Face	1
-- Notch, Rear Camera	1
HOSEBED - HOSEBED COVERS - DIVIDERS - HOSE LOAD	1
-- Hose Bed, Double Wall	1
-- Hose bed floor, groved	1
-- Hsbd Cvr, vinyl, bungee w/ alum rope hook	1
-- Vinyl Cover Color, Red	1
DUMP VALVE(S)	1
-- Tank Modification for Rear Square Dump	1
-- Dump Valve, Rear, 10.00" SS, Manual, w/Swivel	1
DIRECT TANK FILL(S)	1
Tank Modification, Direct Tank Fill, Rear, LH Side, Std, 2.50" NPT	1
-- Direct Tank Fill, 2.50", Akron, LH Side, Rear	1
-- Plug, 2.50" Chrome, NST, w/ Chain	1
Tank Modification, Direct Tank Fill, Rear, RH Side, Std, 2.50" NPT	1
-- Direct Tank Fill, 2.50", Akron, RH Side, Rear	1
-- Plug, 2.50" Chrome, NST, w/ Chain	1
BODY CONSTRUCTION	1
Body, Super Tanker, Single Axl, ATP, 152", (4) Lwr Cmpts	1
-- Fender Panels, Aluminum T/P, Radius Cut	1
-- Fenderettes, (2), 14 gauge, 304, SS	1
-- Four (4) Lower Compartments, ATP, Roll-Up Doors, 60/60/24/24	1
-- Door Type, Amdor, Roll-Up	1
LEFT SIDE LOWER COMPARTMENTS	1
-- L1, 60.00", Ahead Rr Whls - Low Comp't, Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- L2, 24.00", Bhnd Rr Whls - Low Comp't, Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
RIGHT SIDE LOWER COMPARTMENTS	1
-- R1, 60.00", Ahead Rr Whls - Low Comp't, Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- R2, 24.00", Bhnd Rr Whls - Low Comp't, Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1

DESCRIPTION	QTY
EQUIPMENT STORAGE - SUPER TANKER, SINGLE AXLE	1
-- Portable Tank Storage, 2100 Gal, RH Side, Above Compts.	1
-- Portable Tank Capacity, 2100 Gallon, Alum	1
-- Suction Hose Storage, LH Side, Above Compts.	1
-- Hose Capacity, (2) 10.00' Sections	1
REAR BODY DESIGN - SUPER TANKER - STANDARD	1
-- Rear Tailboard, Super Tanker, 2-Step, 96.00" w, 9.50" Btm Step	1
REAR ACCESS STEPS - SUPER TANKER	1
-- Steps, Rear, Folding, (3), IC, 3004234	1
-- Steps, Folding, RH Frnt, (4), IC, 3007732	1
EXTERIOR GRAB RAILS, TANKER/ PUMPER	1
-- Grab Rails, (2), Rear Step, Vert	1
-- Grab Rail, (1), Left Hand, Front	1
-- Grab Rail, (1), Right Hand, Front	1
== 12V ELECTRICAL SYSTEM - TANKER - 7.000 02/14/22 ==	1
ELECTRICAL	1
Electrical 12V, Tanker, Class1, ES-Key System	1
-- Class1, Es-Key System	1
-- Low Volt Alarm Indic, Lht/Bzzr, Cole Hersee, 4112-RC	1
-- Switch Panel, Rocker, (8) Position	1
-- Switch, Master Warning, Rocker, Red w/ Red Lens	1
GROUND LIGHTING	1
-- Ground Lts, (2) Chassis, 2-Dr. LED	1
-- Ground Lts, (2) Forward Rr Whls, LED	1
-- Ground Lts, (2) Rr Step, LED	1
-- Lt Swtch , Ground Lts w/ Park Brake	1
DOOR OPEN / HAZARD WARNING LIGHT INDICATOR SYSTEMS	1
-- Lht, Hazard, LED, Flashing, Red	1
REAR DIRECTIONALS/ DOT LIGHTS	1
-- Rear Brake/Tail/Turn/Backup, 4.00" Round, LED	1
-- Super/CJ Tanker Body LED Marker Lights	1
-- Marker Lts, 0.75" LED, DOT Required	1
-- Reflectors, Amber, (2), Frwd Side Body	1
-- Reflectors, Red, (4), Rear Body	1
-- Lht , License Plate, LED	1
-- ===== NO Upper Body 12V Scene Lights - PTS =====	1
BACKUP CAMERA-TANKER	1
-- Rearview Camera, 7.00" Color Monitor	1
-- Monitor Location, Cab Dash	1
WARNING LIGHT PACKAGE, COMMERCIAL TANKER	1

DESCRIPTION	QTY
-- Warning light flash pattern, Default NFPA	1
LIGHTBAR	1
-- Lht Bar, Whelen, Justice, JE2NFPA, 56.00", LED, 8 Red/ 2 White	1
-- White Lhts, "Blocking Right of Way"	1
-- Lt Bar Swtch, Rocker, Single Switch/ Master Warn, Cab	1
-- Lightbar Mount, MKEZ7	1
UPPER LEVEL WARNING/ SCENE LIGHTS	1
-- Warn/ Scene Lts, Whelen, Side Facing Up Frnt , (2) M9V2 LED	1
-- Wrn/ Scn Lt, Dvr, Whelen, M9V2, Red LED, Red Lens, Ea	1
-- Wrn/ Scn Lt, Offcr, Whelen, M9V2, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
-- Warn/ Scene Lts, Whelen, Side Facing Up Rear, (2) M9V2 LED	1
-- Wrn/ Scn Lt, Dvr, Whelen, M9V2, Red LED, Red Lens, Ea	1
-- Wrn/ Scn Lt, Offcr, Whelen, M9V2, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
-- Warn/ Scene Lts, Whelen, Upper Rr, (2) M9V2 LED	1
-- Wrn/ Scn Lt, Dvr, Whelen, M9V2, Red LED, Red Lens, Ea	1
-- Wrn/ Scn Lt, Offcr, Whelen, M9V2, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
-- Upper Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
-- Left Scene Swtch, Rocker, Single Switch, Cab	1
-- Rear Scene Swtch, Rocker, Single Switch, Cab	1
-- Right Scene Swtch, Rocker, Single Switch, Cab	1
-- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse	1
LOWER LEVEL WARNING LIGHTS	1
-- Wrn Lts, Whelen, Lower Warn Lt, (2) M6 Series LED	1
-- Wrn Lt, Dvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Wrn Lts, Whelen, Intrsc, (2) M6 Series LED	1
-- Wrn Lt, Dvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Wrn Lts, Whelen, Low Mid Bdy (2) M6 Series LED	1
-- Wrn Lt, Dvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Wrn Lts, Whelen, Low Rr (2) M6 Series LED	1
-- Wrn Lt, Dvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Lower Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
UPPER BEACONS	1
-- Beacons, Whelen, L31, LED	1
-- Colors	1
-- Driver Side, L31HRF, Red w/ Red Lens	1
-- Officer Side, L31HRF, Red w/ Red Lens	1
-- Beacon Lt. Swtch, w/ Upper Warning	1
-- Stanchions, (2), SS, L31/L32	1
AUDIBLE WARNING, COMMERCIAL TANKER	1

DESCRIPTION	QTY
-- Siren, Whelen, 295SLSA1, 100/200 watt	1
-- Spkr, Fed Sig, 100 Watt, Dynamax, RH Side	1
-- Label, FAMA #42: "Siren Noise"	1
== PAINT/ PREP/ STRIPE/ WETSIDE TANKER, SINGLE AXLE - 7.000 02/14/22 ==	1
PAINT AND FINISH	1
Paint Finish, Wetside Tnkr, PPG DelfleetEvolution	1
Wetside Tank, Painted to Match Chassis, 1500-2500 Gallon	1
Compartment Interiors, Unfinished	1
Wheel Rims, As Provided with Chassis	1
LETTERING AND STRIPING	1
==== NO Reflective Lettering - Purchaser Supplied ====	1
Rear Chevron Striping, Red/ Fluorescent Yellow-Green	1
Fouts Logo Plates, (3)	1
== LOOSE EQUIPMENT - TANKER, SINGLE AXLE - 7.000 02/14/22 ==	1
FOLDING TANK	1
-- Folding Tank, Husky, 2100 Gal, 22oz Red Vinyl Liner, Alum Frame	1
HARD SUCTION HOSE(S)	1
-- Suction Hose, PVC, Kocheck, 6.00" x 10.00', LHF X RLM	2
== WARRANTY- TANKER, COMMERCIAL - 7.000 02/14/22 ==	1
WARRANTY REQUIREMENTS	1
General Warranty, (1) Year	1
Structural Warranty, (10) Year	1
Plumbing Warranty, Stainless Steel, (10) Year	1
Paint Warranty, (5) Year, PPG	1
Tank Warranty, UPF, Lifetime	1
Electrical Warranty, (2) Year	1