



# QUOTATION

FOUTS BROS.  
 WILL PILCHER  
 138 ROBERSON MILL ROAD  
 MILLEDGEVILLE, GA 31061  
 1-800-948-5045  
 770-438-1504  
 wpilcher@foutsfire.com

<b>Exp. Date:</b>	03/27/2023	
<b>Quote No:</b>	11852-0004	
<b>FOUTS4:</b>	FB-F4-MPPR	FOUTS 4 - PUMP AND ROLL
<b>ADMIN:</b>	FB-02-0145	ADMINISTRATIVE - FOUTS 4
<b>DIMENSIONS:</b>	FB-11-0145	DIMENSIONS - FOUTS 4
<b>NFPA 1901:</b>	FB-05-0145	NFPA 1901 REQUIREMENTS -INITIAL ATTACK
<b>CHASSIS:</b>	FB-09-0145	CHASSIS, COMMERCIAL - FORD
<b>CHASS MOD:</b>	FB-12-0145	CHASSIS MODS - FOUTS 4
<b>CHASSMOD-E:</b>	FB-14-0147	ELEC CHASSIS MODS- FOUTS 4 - PUMP & ROLL
<b>PLUMBING:</b>	FB-20-0146	PUMP AND PLUMBING - FOUTS 4 - PUMP AND ROLL
<b>BODY:</b>	FB-40-0146	RESCUE BODY - FOUTS 4 - PUMP AN ROLL
<b>ELEC-12VDC:</b>	FB-50-0146	12V ELECTRICAL SYSTEM - FOUTS 4 - PUMP & ROLL
<b>PAINT:</b>	FB-70-0145	PAINT/ PREP/ STRIPE - FOUTS 4
<b>LSE-EQUIP:</b>	FB-80-0146	LOOSE EQUIPMENT - FOUTS 4 - PUMP & ROLL
<b>WARRANTY:</b>	FB-10-0145	WARRANTY- FOUTS 4

05/09/2023

Page 1

DESCRIPTION	QTY
<b>== ADMINISTRATIVE - FOUTS 4 - 7.000 02/14/22 ==</b>	<b>1</b>
Terms of Payment, 100% at Delivery	1
Dealer Fee: Fouts4	1
Vehicle Pickup at Factory	1
-- Fuel/DEF Tnks, Full at Delivery	1
<b>== DIMENSIONS - FOUTS 4 - 7.000 02/14/22 ==</b>	<b>1</b>
<b>DIMENSIONS</b>	
Overall Height, < 96.00"	1
Overall Length < 26'	1
Overall Width, 96.00"	1
Pump Module Width, 24.00"	1
Angle of Approach, NFPA Minimum, 8 Degrees	1
Angle of Departure, NFPA Minimum, 8 Degrees	1
<b>== NFPA 1901 REQUIREMENTS -INITIAL ATTACK - 7.000 02/14/22 ==</b>	<b>1</b>
<b>NFPA 1901-2016</b>	
NFPA 1901-2016 Compliance, Initial Attack	1
-- Center of Gravity, Calculated	1
-- Road Test Certification	1
<b>PLACARDS and LABELING</b>	
-- Label, FAMA #7: Seated and Belted	1
-- Label, FAMA #10: Cab Equipment Mounting	1
-- Label, FAMA #15: "Helmet Worn in Cab"	1
-- Label, FAMA #17: "Vehicle Backing"	1
-- Label, Chassis Data Labels, 1901	1
-- Label, Overall Height, Length, GVWR	1
-- Label, Warning, "No Ride Rear Step"	1

DESCRIPTION	QTY
<b>== CHASSIS, COMMERCIAL - FORD - 7.000 02/14/22 ==</b>	<b>1</b>
<b>COMMERCIAL CHASSIS</b>	<b>1</b>
Chassis, Commercial, Supplied By Fouts Bros.	1
-- Ford, F-550, DRW, 4x4, 4-Dr, 203.7" WB, XL	1
-- Payload Plus Upgrade Package	1
-- Elec Shift on the Fly (ESOF)	1
-- Skid Plates (Extended and Crew Cab Only)	1
-- Engine, 6.7L Power Stroke Diesel	1
-- Transmission, Automatic, 10-Spd	1
-- Fire/Rescue Prep Pkg	1
-- Operator Commanded Regeneration (OCR)	1
-- Fuel Tank, 40 Gallon, Aft, w/ Aux fuel tap	1
-- Rear Axle Ratio, Limited Slip, 4.88 (6.7L)	1
-- Block Heater	1
-- PTO Provision	1
-- Cab, Crew, 4-Dr	1
-- Power Equipment Group	1
-- 40/20/40 Vinyl Frnt Bench Seat	1
-- 60/40 Rr Bench Seat	1
-- XL Value Pckg	1
-- Tires and Wheels: F450/ 550 (4x4)	1
-- Wheels, 19.50" Steel	1
-- Tires, 225/70Rx19.5G BSW	1
-- Ford Warranty, Superduty	1
<b>CHASSIS PAINT COLOR</b>	<b>1</b>
-- Cab Paint, Sngl Color, Race Red, PQ	1
<b>== CHASSIS MODS - FOUTS 4 - 7.000 02/14/22 ==</b>	<b>1</b>
<b>CAB STEPS, RUNNING BRDS - FOUTS 4</b>	<b>1</b>
-- FORD OPTION: Running Boards, ROM, Crew Cab, NFPA	1
<b>WINCHES/ BRUSH GUARDS/ REPLACEMENT BUMPERS</b>	<b>1</b>
-- FORD OPTION: Bmpr Replacement, Elite Series, Smooth Plate	1
-- Powder Coat: Matte Black	1
-- Winch Mount- Internal	1
-- Monitor Deck Mount	1
-- Speaker Mount, (1) LH Side	1
-- ===== NO Front Bumper Brush Guard - PTS =====	1
-- Winch, 12,000 lbs, Wire Rope	1
<b>HITCHES-TIE OFFS-RECEIVERS</b>	<b>1</b>
-- Receiver Hitch, Rear, Class V, 2.00"	1
-- Trailer Hitch Pwr Plug, 12V, 7 Prong	1
<b>FORD SEATING - FOUTS 4</b>	<b>1</b>
-- FORD/ RAM OPTION: Center Seat Removal for Console	1
-- Seating Capacity, Four (4)	1
-- FORD OPTION: SCBA Seats, Valor, Rear, (2), w/ EZ Lock SCBA Brkt	1
-- Label, FAMA #11: SCBA Seat Insert	1
-- Seat Belt Web Length, Commercial Chassis, Non-NFPA 2016 Compliant	1
-- Seat Belts, Supplied by Chassis Mfgr, Ford, Non-NFPA 2016	1
<b>TIRE PRESSURE MONITORING SYSTEMS</b>	<b>1</b>
-- Tire Prss Monitoring Dvce, LED AirGuard, 6 Wheel	1
<b>WHEEL TRIM and COVERS</b>	<b>1</b>
-- FORD OPTION: Wheel Covers, SS, 19.50"	1

DESCRIPTION	QTY
<b>EXHAUST SYSTEMS</b>	<b>1</b>
-- Chassis Exhaust Extension, RH Side	1
-- Label, FAMA #04: "Hot Exhaust Dangers"	1
<b>FRAME PREP and MODIFICATIONS</b>	<b>1</b>
-- Chassis Preparation, Commercial	1
-- Front Tow Hooks - Chassis Supplied	1
<b>== ELEC CHASSIS MODS- FOUTS 4 - PUMP &amp; ROLL - 7.000 02/14/22 ==</b>	<b>1</b>
Not Required, Vehicle Data Recorder and Seat Belt Monitor, Ford, Non-NFPA 2017	1
<b>CONSOLES and EQUIPMENT</b>	<b>1</b>
-- FORD OPTION: Center Console, Aluminum	1
-- Console Option, Arm Rests, Adjustable, (2)	1
<b>BATTERY SYSTEMS and SHORELINE PLUG-INS</b>	<b>1</b>
-- Master Body Disconnect Switch	1
-- Indicator Lht, Mst Bdy Disconnect, Green	1
-- Kussmaul, Chief 4012, 40 Amp	1
-- Battery Charger Location, Compt. L2	1
-- Shore Power Inlet, Kussmaul, Super Auto-Eject 20A	1
-- Auto-Eject Mating Plug, NEMA 5-20P	1
-- Chief Status Center w/ Cover, 091-55-266-YW, Yellow	1
-- Elec Inlet Loc, LH Pump Module	1
-- Aux Air Cmp, Kussmaul, 12V, Auto Drain	1
-- Aux Air Compressor Location, Pump Module	1
<b>BACK UP ALARM</b>	<b>1</b>
-- Back Up Alarm, 97db	1
<b>12 VOLT POWER SOURCES</b>	<b>1</b>
-- 12-V Power Point - Chassis Supplied	1
-- USB Prt, Kussmaul, Dual, 4.8amp total, 2.4amp each	1
<b>== PUMP AND PLUMBING - FOUTS 4 - PUMP AND ROLL - 7.000 02/14/22 ==</b>	<b>1</b>
<b>PUMP</b>	<b>1</b>
Pump Package, Sidemount, Fouts 4, Darley PSM, Midship	1
-- Pump, Darley, PSM, 1 Stage, Midship	1
-- Pump Warranty, Darley, (10) Year	1
-- Pump Seal, Mechanical, Darley	1
-- Pump Manuals, Elec, (2)	1
-- Pump Flow Rating, Darley, PSM, 1500 GPM	1
<b>PRIMING SYSTEM</b>	<b>1</b>
-- Pump Primer, Darley, 12V Elec, Fluidless	1
-- Primer "ON" Light	1
-- Fuse, 250 amp, Primer	1
<b>MASTER INTAKE(S)</b>	<b>1</b>
-- Intake, 6.00", NST, Ungated, LH Side, Pump Panel	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
-- Intake, 6.00", NST, Ungated, RH Side, Pump Panel	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1

DESCRIPTION	QTY
<b>PUMP SHIFT, FORD, DARLEY, MIDSHIP</b>	<b>1</b>
-- Pump Shift, Darley, Air w/ Air System Install	1
-- Pump Shift Control, Darley, Air	1
<b>PUMP MODS</b>	<b>1</b>
-- Pump Instln, Midship Split-Shaft, Ford 450/550	1
<b>PUMP EQUIPMENT - DARLEY - PSM</b>	<b>1</b>
-- Plumbing System, Darley	1
-- Drains, 0.75" Mnl, 1/4 Turn	1
-- Discharge Gauges, Darley, 2.50", (0-600 psi), Black Face	1
-- Pump Certification	1
-- Intake Relief Valve, Elkhart, 50-250 psi	1
-- U.L. Test Points	1
-- Mater Drain, Rotary	1
-- Anodes, 1 Suction, 1 Discharge, Darley	1
<b>PRESSURE GOVERNOR</b>	<b>1</b>
-- Governor, Darley AutoControl	1
<b>GATED INTAKE</b>	<b>1</b>
-- Aux Suction, 2.50" NST, LH Side, Pump Panel	1
-- Plug, 2.50" Chrome, NST, w/ Chain	1
<b>TANK TO PUMP VALVE</b>	<b>1</b>
-- Valve, Tank to Pump, 3.00", Elec/ Air	1
<b>TANK FILL VALVE</b>	<b>1</b>
-- Valve, Tank Re-Fill, 2.00"	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
<b>DISCHARGE, LH PANEL</b>	<b>1</b>
-- Dschg, 2.50", LH Side, Pump Panel	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
-- Dschg, Elbw, 30d, 2.50" NST, Chrome	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
-- Discharge NOT Foam Capable	1
<b>DISCHARGE, RH FRONT PANEL</b>	<b>1</b>
-- Dschg, 2.50", RH Side, Pump Panel, Frnt	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
-- Dschg, Elbw, 30d, 2.50" NST, Chrome	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
-- Discharge NOT Foam Capable	1
<b>DISCHARGE, RH REAR PANEL</b>	<b>1</b>
-- Dschg, 3.00", RH Side, Pump Panel, Rear	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
-- Dschg Elbow, Harrington, 30 deg, 4.00"Stz x 3.00" RL NSTF	1
-- Cap, Harrington, 4.00" Storz w/ chain	1
-- Discharge NOT Foam Capable	1
<b>DISCHARGE, HOSEBED PRE-CONNECT</b>	<b>1</b>
-- Dschg, Preconnect, 2.50", Front of Hose Bed, RH	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
-- Discharge NOT Foam Capable	1
<b>DISCHARGE(S), CROSSLAYS</b>	<b>1</b>

DESCRIPTION	QTY
-- Crosslay Dschg #1- One (1) 1.75", Above Mod	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
-- Discharge Foam Capable	1
-- Crosslay Dschg #2- One (1) 1.75", Above Mod	1
-- Vlv Cntrl, Pull Rod, LH Side, CP T-handle	1
-- Discharge Foam Capable	1
	1
<b>BOOSTER REEL</b>	<b>1</b>
-- Dschg, Booster Reel, 1.50"	1
-- Bster Reel, Hannay, EF16.5-23-24RT, Elec, Compt R3	1
-- Hose Reel, Rwnd Cntrl, Weatherproof Push Button	1
-- Booster Hose, Darley, Rigid, 50' of 1.00", Red	1
-- ===== NO Booster Reel Nozzle - PTS ===	1
-- ===== NO Booster Reel Nozzle Holder - PTS ===	1
-- Discharge NOT Foam Capable	1
<b>MONITOR</b>	<b>1</b>
-- Monitor Dschg, 3.00", Over Midship Pump Enclsr	1
-- Vlv Cntrl, Elec, KZ Valve, TSL Plus	1
-- Mounting Flange - 4 Bolt (Akron/Elkhart)	1
-- ===== NO Deck Gun Supplied - PTS =====	1
-- Discharge NOT Foam Capable	1
<b>FRONT BUMPER MONITOR</b>	<b>1</b>
-- Front Monitor, Akron, Forestry, 3462	1
-- Nozzle- Low Flow, Adjustable, 30, 60, 95, 125 gpm.	1
<b>CLASS A FOAM SYSTEM</b>	<b>1</b>
-- Foam System, Class A, FoamPro, 1600	1
-- Foam Sys, Rtnng Placard, 1600	1
-- Foam Sys Schematic, Sngle, Tnk System	1
-- Tank Sensor for Foam System, Side Mount	1
<b>PUMP ENCLOSURE</b>	<b>1</b>
-- Pump House, Side Mount, Ext Alum, 24.00"	1
-- Pump Panels, 14 GA, Brushed Finish, 304 SS	1
-- Crosslay Config, (2) Hosebeds	1
-- Crosslay Divider, 3/16" Alum	1
-- Crosslay Cover, 3/16" ATP	1
-- Crosslay Ends, Vinyl Flap, Shock Cord/ Hook, Red	1
<b>TANK LEVEL INDICATOR(S)</b>	<b>1</b>
-- Wtr Lvl Gauge, FRC TnkVision Pro 300, Pump Panel	1
-- Foam Lvl Gauge, Class A, FRC TnkVision Pro 300, Pump Panel	1
<b>PUMP PANEL LABELING</b>	<b>1</b>
-- Label, FAMA 22, Hose Restraint Required	1
-- Label, FAMA 18, Intake and Discharge Cap Pressure	1
-- Label, FAMA 25, Trained Personal Only	1
-- Label, Pump ID Plate, IC	1
-- Labels, Color Coded, Innovative Controls	1
<b>DIESEL PUMP- PUMP AND ROLL</b>	<b>1</b>
-- Pump, Darley, 1-1/2AGE Diesel, 120 gpm	1
-- Pump Warranty, Darley, (3) Year	1
-- Pump Control Panel, Digitrol	1

DESCRIPTION	QTY
-- Cab Pump Control, Digitrol	1
-- Diesel Pump Plumbing - Pump & Roll	1
-- Suction/ Tank to Pump Plumbing, Aux Pump	1
-- Discharge Plumbing, Aux Pump	1
<b>== RESCUE BODY - FOUTS 4 - PUMP AN ROLL - 7.000 02/14/22 ==</b>	<b>1</b>
<b>WATER TANK</b>	<b>1</b>
-- Tank, 300 Gal Water, 15 Gal Foam, Poly	1
<b>BODY</b>	<b>1</b>
Fouts-4 Body, Alum, 108.00" L x 95.00" W, Body Const	1
-- Door Type, Amdor, Roll-Up	1
<b>LEFT SIDE COMPARTMENTS</b>	<b>1</b>
-- L1, Ahd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Roll-UP Door, Amdor, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 41.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Shelf Trac, Vertical, Alum	1
-- Shelf, Alum, Adjustable, ea	1
-- L2, Upr Hgh Sde - Sgle Comp't - Roll Up Dr	1
-- Roll-UP Door, Amdor, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 21.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Shelf Trac, Vertical, Alum	1
-- Shelf, Alum, Adjustable, ea	1
-- L3, Bhnd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Roll-UP Door, Amdor, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 41.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Shelf Trac, Vertical, Alum	1
-- Shelf, Alum, Adjustable, ea	1
<b>RIGHT SIDE COMPARTMENTS</b>	<b>1</b>
-- R1, Ahd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Roll-UP Door, Amdor, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 41.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Shelf Trac, Vertical, Alum	1
-- Shelf, Alum, Adjustable, ea	1
-- R2, Upr Hgh Sde - Sgle Comp't - Roll Up Dr	1
-- Roll-UP Door, Amdor, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 21.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Shelf Trac, Vertical, Alum	1
-- Shelf, Alum, Adjustable, ea	1
-- R3, Bhnd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Roll-UP Door, Amdor, Satin Finish	1
-- Cmpt LED Strip Lht, Luma Bar, 41.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Shelf Trac, Vertical, Alum	1
-- Shelf, Alum, Adjustable, ea	1
<b>REAR BODY DESIGN- FLAT BACK</b>	<b>1</b>
-- Pump Compt, Rr Center	1

DESCRIPTION	QTY
<b>HOSEBED - FOUTS 4</b>	<b>1</b>
-- Hose Bed, Grating, Extrd Alum	1
-- Hose Bed, Cross Divider, Fwd 22.00"	1
-- Hose Bed Dimensions: 49.75"W x 85.00"L x 15.00"T	1
-- Hose Bed, Strge Cpcty, 34.00 Cubic Feet	1
-- ===== NO Hose Bed Storage Capacity - PTS =====	1
-- Hosebed, Divider, 3/16" Alum, ea	1
-- Hsbd Cvr, Vnyl, Velcro, Red	1
<b>EQUIPMENT STORAGE - FOUTS 4</b>	<b>1</b>
-- Tray, Suction Hose, (2), LH, Above Compt	1
-- Hose Capacity, (2) 8' Sections	1
-- Ladder Mtg, RH, Above Compt, (1) PEL-12	1
<b>WHEEL WELL AREA - FOUTS 4</b>	<b>1</b>
-- Whl Well Cmpt, (3), Sngl SCBA Tubes, Alum Dr	1
-- Whl Well Prv, LH Rear, Diesel Fuel Fluid Fill	1
<b>REAR STEPS - FOUTS4</b>	<b>1</b>
-- Folding Steps, (2) LH Rear, IC 3004234, w/ (1) LED Step Lt	1
-- Lt, Cntrls, Work/ Step Lts, Park Brake	1
<b>EXTERIOR GRAB RAILS - FOUTS4</b>	<b>1</b>
-- Grab Rails, (2), Rear, Vertical	1
<b>== 12V ELECTRICAL SYSTEM - FOUTS 4 - PUMP &amp; ROLL - 7.000 02/14/22 ==</b>	<b>1</b>
<b>ELECTRICAL</b>	<b>1</b>
Electrical, 12V	1
-- NFPA Electrical System	1
-- Switch Panel, Rocker, (8) Position	1
<b>GROUND LIGHTING</b>	<b>1</b>
-- Ground Lts, (4), Chassis, 4-Dr. LED	1
-- Ground Lts, (2) Forward Rr Whls, LED	1
-- Ground Lts, (2) Rr Step, LED	1
-- Lt Swtch , Ground Lts w/ Park Brake	1
<b>REAR DIRECTIONALS/ DOT LIGHTS</b>	<b>1</b>
-- Rear Brake/Tail/Turn/Backup, Whelen M6	1
-- Tail/Brake Lts, Whelen, LED, M6, Red Lens (Pair)	1
-- Turn Signals, Whelen, LED, M6, Amber Lens (Pair)	1
-- Backup Lts, Whelen, LED, M6 (Pair)	1
-- Tail Lt Bezel, 4 Lts, Whln M6 (Pair), ABS Chrome	1
-- Fouts4 Body LED Marker Lights	1
-- Marker Lts, 0.75" LED, DOT Required	1
-- Reflectors, Red, (4), Rear Body	1
-- License Plate, Bracket, w/ LED Lt.	1
<b>TRAFFIC ADVISOR</b>	<b>1</b>
-- Trffic Advsr, Whelen TAL85, 48.00" LED	1
-- Traffic Advsr Lt Mtg, Surface Mt, w/ Alum Guard, Rr Bdy	1
<b>SCENE LIGHT(S) - UPPER BODY</b>	<b>1</b>
-- Scene Lts, Whelen, Side Facing Upper Frnt, (2) M6ZC	1
-- Scene Lt, Drvr, Whelen, M6ZC, LED, Ea	1
-- Scene Lt, Offcr, Whelen, M6ZC, LED, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2

DESCRIPTION	QTY
-- Scene Lts, Whelen, Side Facing Upper Rear, (2) M6ZC	1
-- Scene Lt, Drvr, Whelen, M6ZC, LED, Ea	1
-- Scene Lt, Offcr, Whelen, M6ZC, LED, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Scene Lts, Whelen, Upper Rear Body, (2) M6ZC	1
-- Scene Lt, Drvr, Whelen, M6ZC, LED, Ea	1
-- Scene Lt, Offcr, Whelen, M6ZC, LED, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Lt Cntrls, Scn Lt, Each side Separate, Rocker Switch Panel	1
-- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse	1
<b>BACKUP CAMERA</b>	
-- Rearview Camera, 7.00" Color Monitor	1
-- Monitor Location, Rear View Mirror	1
<b>WARNING LIGHTS PACKAGE, FOUTS 4</b>	
-- Warning light flash pattern, Default NFPA	1
<b>LIGHTBAR</b>	
-- Lht Bar, Whelen, Justice, JE2NFPA, 56.00", LED, 8 Red/ 2 White	1
-- White Lhts, "Blocking Right of Way"	1
-- Lt Bar Swtch, Rocker, Single Switch/ Master Warn, Cab	1
-- Lightbar Mount, MKEZ7	1
<b>UPPER LEVEL WARNING LIGHTS</b>	
-- Warn Lts, Whelen, Side Facing Upper Frnt, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Warn Lts, Whelen, Side Facing Upper Rr, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Warn Lts, Whelen, Upper Rear, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Upper Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
<b>LOWER LEVEL WARNING LIGHTS</b>	
-- Wrn Lts, Whelen, Lower Warn Lt, (2) M4 Series LED	1
-- Wrn Lt, Drvr, Whelen, M4 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M4 Series, Red LED, Clear Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M4 Series, Ea	2
-- Wrn Lts, Whelen, Intrsct, (2) M4 Series LED	1
-- Wrn Lt, Drvr, Whelen, M4 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M4 Series, Red LED, Clear Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M4 Series, Ea	2
-- Wrn Lts, Whelen, Low Mid Bdy (2) M7 Series LED	1
-- Wrn Lt, Drvr, Whelen, M7 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M7 Series, Red LED, Clear Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M7 Series, Ea	2
-- Wrn Lts, Whelen, Low Rr (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Clear Lens, Ea	1
-- Bezel(s), Tail lhts	2
-- Lower Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
<b>AUDIBLE WARNING</b>	
-- Siren, Whelen, 295SLSA1, 100/200 watt	1



DESCRIPTION	QTY
-- Spkr, Whln, 100 watt, SA315, RH Side	1
-- Label, FAMA #42: "Siren Noise"	1
<b>== PAINT/ PREP/ STRIPE - FOOTS 4 - 7.000 02/14/22 ==</b>	<b>1</b>
<b>PAINT AND FINISH</b>	
-- Cab, Standard Color	1
-- Anti-Corrosion Protection, ECK	1
-- Body Undercoating, Rescue Body	1
-- Compartment Interiors, Side, Zolatone	1
-- Paint Color, Match Chassis	1
-- Wheel Rims, As Provided with Chassis	1
<b>LETTERING AND STRIPING</b>	
-- Rear Chevron Striping, Red/ Florescent Yellow-Geen	1
-- ===== NO Reflective Lettering - Purchaser Supplied =====	1
Fouts Logo Plates, (2)	1
<b>== LOOSE EQUIPMENT - FOOTS 4 - PUMP &amp; ROLL - 7.000 02/14/22 ==</b>	<b>1</b>
<b>HARD SUCTION HOSE(S)</b>	
-- Suction Hose, PVC, Kocheck, 6.00"x8', LHF X RLM	2
<b>GROUND LADDERS - FOOTS-4</b>	
-- Ladder, 12', Ext, 2-Sect, Alco-Lite, PEL-12	1
<b>== WARRANTY- FOOTS 4 - 7.000 02/14/22 ==</b>	<b>1</b>
<b>WARRANTY REQUIREMENTS</b>	
General Warranty, (1) Year	1
Body Warranty, Alum, (10) Year	1
Plumbing Warranty, Stainless Steel, (10) Year	1
Paint Warranty, (5) Year, PPG	1
Electrical Warranty, (2) Year	1
Akron Brass Warranty, (10) Year Valves, (5) Year Elec	1
Whelen Warranty, (2) Year Siren, (5) Year LED	1
-- Whelen Warranty, Limited Lifetime	1
Kussmaul Warranty	1