



QUOTATION

Exp. Date: 12/29/2023
Quote No: 11046-0001
PUMPER: FB-94 FOUTS BROS. FB-94, SINGLE AXLE PMPR
ADMIN: FB-02-0010 ADMINISTRATIVE - PUMPER
DIMENSIONS: FB-11-0010 DIMENSIONS - PUMPER, SINGLE AXLE
NFPA 1901: FB-05-0010 NFPA 1901 REQUIREMENTS - PUMPER
CHASSIS: FB-08-0010 CHASSIS, CUSTOM - FB-94
CHASS MOD: FB-12-0010 CUSTOM - FB-94, CHASSIS MODS
PLUMBING: FB-20-0020 PUMP & PLUMBING - FB-94
BODY: FB-40-0030 PUMPER BODY, SINGLE AXLE, CUSTOM, LOW HOSEBED
ELEC-12VDC: FB-50-0010 12V ELECTRICAL SYSTEM - FB-94
PAINT: FB-70-0005 PAINT/ PREP/ STRIPE/ PUMPER
LSE-EQUIP: FB-80-0010 PUMPER - LOOSE EQUIPMENT
WARRANTY: FB-10-0010 WARRANTY- PUMPER, FB-94

11/29/2023

Page 1

DESCRIPTION	QTY
== ADMINISTRATIVE - PUMPER - 7.250 03/07/23 ==	1
Cover Page - Pumper, FB-94, Custom	1
Manufacturing Location: Milledgeville, Georgia	1
Terms of Payment, 100% at Delivery	1
Delivery Date Requirements, 120 Days After Receipt of Chassis	1
Vehicle Pickup at Factory	1
-- Fuel/DEF Tnks, Full at Delivery	1
== DIMENSIONS - PUMPER, SINGLE AXLE - 7.250 03/07/23 ==	1
==== NO Overall Height Restriction, PTS ====	1
==== NO Overall Length Restriction, PTS ====	1
==== NO Overall Width Restriction - PTS ====	1
==== NO Overall Wheelbase Restriction - PTS ====	1
==== NO Overall Pump Module Width Restriction, PTS ====	1
==== NO Angle of Approach Restriction, PTS ====	1
==== NO Angle of Departure Restriction, PTS ====	1
== NFPA 1901 REQUIREMENTS - PUMPER - 7.250 03/07/23 ==	1
NFPA 1901-2016	1
NFPA 1901-2016 Compliance, Pumper	1
-- Center of Gravity, Calculated	1
-- Road Test Certification	1
-- Vehicle Top Speed, 65-68 mph	1
PLACARDS and LABELING	1
-- Label, FAMA #7: Seated and Belted	1
-- Label, FAMA #10: Cab Equipment Mounting	1
-- Label, FAMA #15: "Helmet Worn in Cab"	1
-- Label, FAMA #17: "Vehicle Backing"	1
-- Labels, "Do Not Move Apparatus"	1
-- Label, Chassis Data Labels, 1901	1
-- Label, Overall Height, Length, GVWR	1

DESCRIPTION	QTY
-- Label, Warning, "No Ride Rear Step"	1
-- FAMA Safety Guide, Ea	1
== CHASSIS, CUSTOM - FB-94 - 7.250 03/07/23 ==	1
CUSTOM CHASSIS	1
-- Chassis, Spartan FB-94, See Attached Specs	1
== CUSTOM - FB-94, CHASSIS MODS - 7.250 03/07/23 ==	1
WHEEL TRIM and COVERS	1
-- Wheel Trim, Single Axle, Chrome, Frnt Cvr, Rr High Hats, & Lug Nut Cvr	1
EXHAUST SYSTEMS	1
-- Chassis Exhaust - Chassis Supplied	1
-- Label, FAMA #04: "Hot Exhaust Dangers"	1
FRONT BUMPER - CUSTOM CHASSIS	1
-- Front Bumper - Chassis Supplied	1
-- Dry-Mat, Black, Chassis Supplied Bmpr Compt	1
MUD FLAPS	1
-- Rear Mud Flaps, (2), Fouts Logo	1
CAB PREP and MODIFICATIONS	1
-- ===== NO Rear Cab Exterior Trim - PTS =====	1
-- Cab Tilt Control, Cstm, RH Pump Panel	1
12 VOLT POWER SOURCES	1
-- USB Prt, Kussmaul, Dual, 4.8amp total, 2.4amp each	1
== PUMP & PLUMBING - FB-94 - 7.250 03/07/23 ==	1
PUMP	1
Pump Package, Sidemount, Hale, Qmax, Midship	1
-- Fire Pump, Hale, QMAX, 1 Stage, Midship	1
-- Pump Warranty, Hale, 5 Yr (2 Yr Prts & Lbr, Prts Only Yrs 3-5)	1
-- Gearbox, QMax, "X"	1
-- Midship Pump Ratio 2.32:1 (23)	1
-- Pump Seal, Mechanical, Hale	1
-- Pump Flow Rating, Hale, QMAX, 1500 GPM	1
-- Intake, 6.00", NST, Ungated, LH Side, Pump Panel	1
-- Standard Suction Tube Length	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
-- Intake, 6.00", NST, Ungated, RH Side, Pump Panel	1
-- Standard Suction Tube Length	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
PUMP MODS	1
-- Pump Install, Midship Split-Shaft	1

DESCRIPTION	QTY
-- Pump Driveline, 1710 Series	1
-- Pmp Sys Lock-Up, Chassis Trans	1
PUMP SHIFT, HALE, MIDSHIP	1
-- Pump Shift, Hale, Supl'd w/Custom Chassis	1
PUMP EQUIPMENT, HALE	1
-- Plumbing System, Hale	1
-- Pump Certification	1
-- Intake Relief Valve, Hale, NST	1
-- Pump Primer, Trident, Manual, AirPrime, 3 Barrel, Hale Qmax	1
-- Thermal Relief Valve, TRV-120	1
-- Pump Cooler/ Bypass Line, 0.25"	1
-- Heat Exchanger, FL/ Custom Chassis	1
-- Anodes, (3), Alloy: 2 Suction, 1 Discharge, Hale	1
PRESSURE GOVERNOR	1
-- Governor, FRC, PumpBoss Max	1
GATED INTAKE(S), HALE	1
-- Aux Suction, 2.50", LH Side, Pump Panel, Frnt	1
-- Vlv Mfger, Akron, Gen II, (2.50")	1
-- Intk Vlv Cntrl, Mnl Swing Type-Adjacent	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Plug, 2.50" Chrome, NST, w/ Chain	1
TANK TO PUMP VALVE, HALE	1
-- Tank to Pump Line, 3.00"	1
-- Vlv Mfger, Akron, Gen II, (3.00")	1
-- Vlv Cntrl, Pull Rod, LH Side, Locking, Class1, CP T-handle	1
TANK FILL VALVE, HALE	1
-- Valve, Tank Fill, 2.00"	1
-- Vlv Mfger, Akron, Gen II, (2.00")	1
-- Vlv Cntrl, Pull Rod, LH Side, Locking, Class1, CP T-handle	1
DISCHARGES	1
DISCHARGE, LH FRONT PANEL	1
-- Dschg, 2.50", LH Side, Pump Panel, Frnt	1
-- Vlv Mfger, Akron, Gen II, (2.50")	1
-- Vlv Cntrl, Swing Handle, LH Side, Pump Panel	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
DISCHARGE, LH REAR PANEL	1
-- Dschg, 2.50", LH Side, Pump Panel, Rr	1
-- Vlv Mfger, Akron, Gen II, (2.50")	1

DESCRIPTION	QTY
-- Vlv Cntrl, Swing Handle, LH Side, Pump Panel	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
DISCHARGE, RH FRONT PANEL	1
-- Dschg, 3.00", RH Side, Pump Panel, Frnt	1
-- Vlv Mfger, Akron, Gen II, (3.00"), Slow Close	1
-- Vlv Cntrl, Pull Rod, LH Side, Locking, Class1, CP T-handle	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dschg, Elbw, 30d, 3.00" MNST, Integral, Class1	1
-- Adapter, TFT, 5.00" Storz x 3.00" FNST Rigid RL	1
-- Cap, TFT, 5.00" Storz w/ Lanyard	1
DISCHARGE, RH REAR PANEL	1
-- Dschg, 2.50", RH Side, Pump Panel, Rr	1
-- Vlv Mfger, Akron, Gen II, (2.50")	1
-- Vlv Cntrl, Pull Rod, LH Side, Locking, Class1, CP T-handle	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
UPPER MODULE AREA	1
DISCHARGE(S), CROSSLAYS	1
-- Crosslay Dschg #1- One (1) 1.75", Above Mod	1
-- Vlv Mfger, Akron, Gen II, (2.00")	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Crosslay Dschg #2- One (1) 1.75", Above Mod	1
-- Vlv Mfger, Akron, Gen II, (2.00")	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dunnage Area	1
-- Crosslay Divider, (1), 3/16" Alum	1
-- Crosslay Cover, 3/16" ATP	1
-- Crosslay Ends, Vinyl Flap, Shock Cord/ Hook, Red	1
MONITOR OUTLET	1
-- Monitor Dschg, 3.00", Over Pump Enclosure	1
-- Vlv Mfger, Akron, Gen II, (3.00"), Slow-Close	1
-- Vlv Cntrl, Pull Rod, LH Side, Lckng, Class1, CP T-Hndl	1
-- Drain, 0.75", Class1, Automatic	1

DESCRIPTION	QTY
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dck Gun Adapt, 4 Bolt (Akron/Elkhart)	1
-- ===== NO Deck Gun Supplied - PTS =====	1
DISCHARGE, LH REAR OF BODY	1
-- Dschg, 2.50", LH Side, Rear	1
-- Vlv Mfgr, Akron, Gen II, (2.50")	1
-- Vlv Cntrl, Pull Rod, LH Side, Locking, Class1, CP T-handle	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Gauge, Dschg, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Dschg, Elbw, 30d, 2.50" NST, Chrome	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
DISCHARGE, FRONT	1
-- Discharge, Front, 1.50" w/ 2.00" Plmbg	1
-- Vlv Mfgr, Akron, Gen II, (2.00")	1
-- Vlv Cntrl, Pull Rod, LH Side, Locking, Class1, CP T-handle	1
-- Drain, 0.75" Mnl, Class1, 1/4 Turn	1
-- Adapt, 2.00" NPTx 1.50" NST Mattydale Swivel, Inside Hosebox	1
MASTER GAUGES	1
-- Gauge, Master Press, Class1, 4.50", 0-400#, Wht, Blk Ltrs	1
-- Gauge, Master Intake, Class1, 4.50", -30-400#, Wht, Blk Ltrs	1
TANK LEVEL INDICATOR(S)	1
-- Water Lvl Gauge, Class1 "ITL-40R", Red, Pump Panel	1
-- Water Lvl Gauge, Hale, 610-00049, Mini, Cab	1
PUMP ENCLOSURE	1
-- Pump House, Side Mount, Ext Alum	1
PUMP PANEL SURFACE -- MIDSHIP	1
-- Pump Panels, 14 GA, Brushed Finish, 304 SS	1
PUMP PANEL/ ENCLOSURE LIGHTS	1
-- Pump Panel Lt, LH Side, LED, Strip	1
-- Pump Panel Lt, RH Side, LED, Strip	1
-- Lt, Cntrls, Switch on pump panel	1
-- Pump Compt. Lht, LED	1
PUMP MODULE RUNNING BOARDS	1
-- Running Brd, LH Pump Panel, Alum T/P	1
-- Running Brd, RH Pump Panel, Alum T/P	1
PUMP ENCLOSURE HEATERS and HEAT PANS and GASKET	1
-- Alum T/P Cover, Pump Module, Front	1
-- ===== NO Pump House Heater - PTS =====	1

DESCRIPTION	QTY
-- ===== NO Pump House Heat Pan - PTS =====	1
PUMP PANEL LABELING	1
-- Label, FAMA 22, Hose Restraint Required	1
-- Label, FAMA 18, Intake and Discharge Cap Pressure	1
-- Label, FAMA 25, Trained Personal Only	1
-- Label, Pump ID Plate, IC	1
-- Labels, Color Coded, Innovative Controls	1
== PUMPER BODY, SINGLE AXLE, CUSTOM, LOW HOSEBED - 7.250 03/07/23 ==	1
WATER TANK	1
Water Tank, 1000 Gallon, Poly, "L" Design	1
-- Fill Tower/ Vent, 12.00" x 12.00"	1
-- Fill Tower, Lft, Frnt, Tank	1
-- Overflow Pipe, 4.00" I.D.	1
-- Sump, 3.00"	1
-- Water Tank Clean-out & Plug, 3.00"	1
-- Hose Bed, Construction	1
-- Hosebed, Divider, 1/4" Alum, Ea	1
-- Hose Bed Cvr, Vinyl, Velcro	1
-- Vinyl Cover Color, Red	1
BODY CONSTRUCTION - 172.00" Body (81" C/A)	1
-- Body, 172.00" Alum, High side/ High side, RU Door	1
-- 100.00" OAW, Single Axle, High Side Left/ High Side Right Side	1
-- Cmpt Height, LH Side, 70.00"	1
-- Cmpt Height, RH Side, 70.00"	1
-- Cmpt Depth, LH/ RH Side, 28.00"/13.75"	1
-- Door Type, Amdor, Roll-Up	1
-- AMDOR OPTION: Locks (7), Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, Full Height, Clear White, (1) Ea Cmpt	1
LEFT HAND SIDE COMPARTMENTS - HIGH SIDE	1
-- L1, Ahd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Ahd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Full Depth, ea	1
-- L2, Upr Hgh Sde - Sgle Comp't- Roll Up Dr	1
-- Upr Hgh Sde Cmpt(s), Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (2), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Half Depth, ea	1
-- L3, Bhnd Rr Whls - Full Ht Comp't- Roll Up Dr	1
-- Bhnd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Full Depth, ea	1
RIGHT HAND SIDE COMPARTMENTS - HIGH SIDE	1
-- R1, Ahd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Ahd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Full Depth, ea	1
-- R2, Upr Hgh Sde - Sgle Comp't- Roll Up Dr	1
-- Upr Hgh Sde Cmpt(s), Cmpt Provisions, Pumper	1

DESCRIPTION	QTY
-- Uni-Strut Tracks, vert, (2), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Half Depth, ea	1
-- R3, Bhnd Rr Whls - Full Ht Comp't- Roll Up Dr	1
-- Bhnd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Full Depth, ea	1
READY BODY DESIGN - FLAT BACK	1
-- CR1, Rr Cntr Comp't - Half Ht Roll Up	1
-- Rr Cmpt, Cmpt, Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, 3/16" Alum, Adjustable, Full Depth, ea	1
REAR TAILBOARD	1
-- Rear Step, 3/16" Alum Treadplate, 12.00"	1
EQUIPMENT - BODY MOUNTED	1
-- Suction Hose Storage, Tray, LH, Above Compts	1
-- Suction Hose Storage, Tray, RH, Above Compts	1
-- Ladder Capacity, 24 ft 2-Sec, 14 ft Roof, 10 ft Folding	1
-- Ladder Supplier, Manufacturer	1
-- Pike Pole Mtg, In Ladder Tunnel, (2)	1
-- Pike Pole Supplier, Purchaser	1
COMMON BODY OPTIONS - PUMPER - SINGLE AXLE	1
WHEEL WELL PANEL - PROVISIONS	1
-- Whl Well Cmpts, (4) Sngl SCBA Tubes, Brushed SS Door, Sig4	1
-- Fuel Fill, Diesel, Alum Cup, LH Rr Axle	1
REAR ACCESS STEPS - PUMPER	1
-- Steps, Folding, LH Rear (2), 3004234, w/ (2) LED Stp Lts	1
-- Steps, Folding, RH Rear (1), 3004234, w/ (2) LED Stp Lts	1
-- Steps, Folding, RH Front, (4), 3007732, w/ (2) LED Stp Lts	1
-- Lt, Cntrls, Work/ Step Lts, Park Brake	1
EXTERIOR GRAB RAILS, PUMPER	1
-- Grab Rails, (2), Rear Step, Vert	1
-- Grab Rail, (1), Right Hand, Front	1
-- Grab Rail, (1), Below Hose Bed, Horz	1
== 12V ELECTRICAL SYSTEM - FB-94 - 7.250 03/07/23 ==	1
ELECTRICAL	1
Electrical, 12V, NFPA 1901, FB-94	1
GROUND LIGHTS	1
-- Ground Lts, Cab, Supl'd w/Custom Chassis	1
-- Ground Lhts, (2) Pump Panel, LED, Supplied w/ Pump	1
-- Ground Lhts, (2) Front Body, LED	1
-- Ground Lhts, (2) Rr Step, LED	1
-- Lht Swtch , Ground Lts w/ Park Brake	1

DESCRIPTION	QTY
REAR DIRECTIONALS/ DOT LIGHTS	1
-- Rear Brake/Tail/Turn/Backup, Whelen M6	1
-- Tail/Brake Lts, Whelen, LED, M6, Red Lens (Pair)	1
-- Turn Signals, Whelen, LED, M6, Amber Lens (Pair)	1
-- Backup Lts, Whelen, LED, M6 (Pair)	1
-- Tail Lt Bezel, 4 Lts, Whln M6 (Pair), ABS Chrome	1
-- Marker Lts, 0.75" LED, DOT Required	1
-- Reflectors, Amber, (2), Frwd Side Body	1
-- Reflectors, Red, (4), Rear Body	1
-- License Plate, Bracket, w/ LED Lt.	1
-- Worklight, (1) 12V LED, Fd, Mnt Hsbd	1
-- Lt, Cntrls, WorkLts, Park Brake	1
SCENE LIGHT(S) - UPPER	1
-- Scene Lts, Whelen, Side Facing Upper Cab, (2) M9 EZ, Chrme Bzl	1
-- Scene Lts, Whelen, Side Facing Upper Frnt, (2) M9 EZ, Chrme Bzl	1
-- Scene Lts, Whelen, Side Facing Upper Rear (2) M9 EZ, Chrme Bzl	1
-- Scene Lts, Whelen, Upper Rear (2) M9 EZ, Chrme Bzl	1
-- Lt Cntrls, Scene, Indv Switch	1
-- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse	1
WARNING LIGHT PACKAGE, CUSTOM CHASSIS	1
-- Warning light flash pattern, Default NFPA	1
-- Alternating Headlight Flasher, Supl'd w/Custom Chassis	1
LIGHTBAR	1
-- Lht Bar, Whelen, Freedom IV, F4N7QLED, 72.00", LED, 8 Red/ 2 White	1
-- Lt Bar Swtch, Rocker, Single Switch/ Master Warn, Cab	1
UPPER LEVEL WARNING LIGHTS	1
-- Warn Lts, Whelen, Side Facing Upper Frnt, (2) M9 LED	1
-- Wrn Lt, Drvr, Whelen, M9R, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M9R, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
-- Warn Lts, Whelen, Side Facing Upper Rr, (2) M9 LED	1
-- Wrn Lt, Drvr, Whelen, M9R, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M9R, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
-- Warn Lts, Whelen, Upper Rear, (2) M9 LED	1
-- Wrn Lt, Drvr, Whelen, M9R, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M9R, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
-- Upper Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
LOWER LEVEL WARNING LIGHTS	1
-- Wrn Lhts, Lower Wrn Lt- Supl'd w/Custom Chassis	1
-- Wrn Lhts, Intrsct Wrn Lt - Supl'd w/Custom Chassis	1
-- Wrn Lts, Whelen, Cab Side, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2

DESCRIPTION	QTY
-- Wrn Lts, Whelen, Low Mid Bdy (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Wrn Lts, Whelen, Low Rr (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Bezel(s), Tail lhts	2
-- Lower Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
-- ==== NO Upper Rotators - PTS =====	1
AUDIBLE WARNING, CUSTOM CHASSIS	1
-- Elec Siren - Supl'd w/Custom Chassis	1
-- Speaker(s) - Supl'd w/Custom Chassis	1
== PAINT/ PREP/ STRIPE/ PUMPER - 7.250 03/07/23 ==	1
PAINT AND FINISH	1
Cab, Standard Color	1
Paint Finish, Pumper, Single Axle	1
Paint Finish, PPG Delfleet	1
Anti-Corrosion Protection	1
Undercoating, Pumper, Single Axle	1
Compt Interiors, Multispec #344767, Gray Stone	1
Wheel Rims, As Provided with Chassis	1
LETTERING AND STRIPING	1
===== NO Reflective Lettering - Purchaser Supplied =====	1
Rear Chevron, Oralite V98, Red/ Fluorescent Yellow-Green	1
Fouts Logo Plate, (1)	1
== PUMPER - LOOSE EQUIPMENT - 7.250 03/07/23 ==	1
HARD SUCTION HOSE(S)	1
-- Suction Hose, PVC, Kocheck, 6.00" x 10.00', LHF X RLM	2
SUCTION HOSE STRAINERS - STRAINER MOUNTS	1
HAND LIGHTS	1
WHEEL CHOCKS	1
-- ===== NO Whl Chocks, NFPA Compliance - PTS =====	1
AXES and MOUNTS	1
-- ===== NO Flat Head Axe, NFPA Compliance - PTS =====	1
-- ===== NO Pick Head Axe, NFPA Compliance - PTS =====	1
GROUND LADDERS	1
-- Ladder, 24', Ext, 2-Sect, Alco-Lite, PEL-24	1
-- Ladder, 14' Roof, Alco-Lite, PRL-14	1
-- Ladder, 10' Folding Attic, Alco-Lite	1
PIKE POLES	1

