

Exp. Date: Quote No: TANKER: ADMIN: DIMENSIONS: NFPA 1901: CHASSIS: CHASS MOD: PLUMBING: BODY: ELEC-12VDC: PAINT: LSE-EQUIP: WARRANTY:	FB-05-0020 FB-09-0020 FB-12-0020 FB-20-0030 FB-40-0026 FB-50-0020 FB-70-0026 FB-80-0020	SUPER TANKER, TANDEM AXLE, 2200-3500 GALLONS ADMINISTRATIVE - TANKER DIMENSIONS - SUPER TANKER, TANDEM AXLE NFPA 1901 REQUIREMENTS - TANKER CHASSIS, COMMERCIAL - TANDEM AXLE CHASSIS MODS, TANKER, TNDM AXLE PUMP & PLUMBING - TANKER SUPER TANKER BODY - TANDEM AXLE, WETSIDE, STANDARD 12V ELECTRICAL SYSTEM - TANKER PAINT/ PREP/ STRIPE/ WETSIDE TANKER, TANDEM AXLE LOOSE EQUIPMENT - TANKER, TANDEM AXLE WARRANTY- TANKER, COMMERCIAL	
Terms of Payme Vehicle Pickup a   Fuel/DEF == DIMENSION ==== NO Overa ==== NO Overa ==== NO Overa ==== NO Overa ==== NO Angle ==== NO Angle	Inks, Full at Delivery <b>S - SUPER TANKER,</b> Il Height Restriction, P Il Length Restriction, F Il Width Restriction - F Il Wheelbase Restriction Il Pump Module Width of Approach Restriction of Departure Restriction	TANDEM AXLE - 7.000 02/14/22 ==   PTS ====   PTS ====   on - PTS ====   Restriction, PTS ====   on, PTS ====	Page 1 QTY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NFPA Non-Com	pliance State, Loc		1
	arning, "No Ride Rear	PLACARDS and LABELING • Step" EM AXLE - 7.000 02/14/22 ==	1 1 1 1
Chassis, V	ercial, Supplied By Fo Vestern Star, 2-Dr, 47> <b>ODS, TANKER, TND</b>		<b>1</b> 1 1 <b>1</b>
==== NO A	CHAS Automatic Tire Chains	SIS MODIFICATIONS, TANKER, TANDEM AXLE - PTS ====	<b>1</b> 1

09/07/2022	Page 2
DESCRIPTION	QTY
TIRE PRESSURE MONITORING SYSTEMS	1
Tire Prss Monitoring Dvce, LED AirGuard, 10 Wheel	1
WHEEL TRIM and COVERS, TANDEM AXLE	1
Wheel Trim, Tndm Axle, Chrome, Frnt Cvrs, Rr High Hats, & Lug Nut Cvrs	1
EVHALLET SVETEME	
EXHAUST SYSTEMS	1
Label, FAMA #04: "Hot Exhaust Dangers"	1
FRONT BUMPER	1
Front Bumper - Chassis Supplied	1
FRAME PREP and MODIFICATIONS	1
Chassis Preparation, Commercial	1
Front Tow Hooks - Chassis Supplied	1
Tow Eyes, (2), Rear Frame Rail	1
MUD FLAPS	1
Front Mud Flaps, (2) - Chassis Supplied   Rear Mud Flaps, (2), Fouts Logo	1
Real Mud Flaps, (2), Fouls Logo	1
VEHICLE DATA RECORDER AND SEATBELT MONITOR SYS	1
CONSOLES and EQUIPMENT	1
Center Elec Console, Comm Tanker/ Pumper/ Rescue	1
BATTERY SYSTEMS and SHORELINE PLUG-INS	1
Battery System - Chassis Supplied	1
Battery Jumper Studs - Chassis Supplied	1
Ignition Swtch, Keyless - Chassis Supplied	1
Master Battery Disconnect Switch - Chassis Supplied	1
Kussmaul, Chief 6012, 60 Amp, (3 Battery)	1
Battery Charger Location, Per Manufacturer	1
Shore Power Inlet, Kussmaul, Super Auto-Eject 20A   Auto-Eject Mating Plug, NEMA 5-20P	1
Chief Status Center w/ Cover, 091-55-266-YW, Yellow	1
Auto Eject Location, Per Manufacturer	1
Aux Air Cmp, Kussmaul, 12V	1
Aux Air Compressor Location, Per Manufacturer	1
==== NO Chassis Air Brake System Options- PTS ====	1
BACK UP ALARM	1
Back Up Alarm, 97db	1
== PUMP & PLUMBING - TANKER - 7.000 02/14/22 ==	1
DUMD	
PUMP	1
Pump, Darley, LSP, 1 Stage, PTO   Pump Warranty, Darley, (6) Year	1
Pump Varianty, Daney, (6) real	1
Pump Manuals, Elec, (2)	1
Pump Flow Rating, Darley, LSP, 1000 GPM	1
· · ··································	
MASTER INTAKE(S)	1
Intake, 6.00", NST, Ungated, LH Side, Pump Panel	1
Intake Trim, Garnish Ring Bezel w/ Warning Label- Burgundy	1
Cap, 6.00", Chrome Long Hndl, NST, Darley Logo	1
Intake, 6.00", NST, Ungated, RH Side, Pump Panel	1
Intake Trim, Garnish Ring Bezel w/ Warning Label- Burgundy	1

09/07/2022	Page 3
DESCRIPTION	QTY
Cap, 6.00", Chrome Long Hndl, NST, Darley Logo	1
PUMP MODS - DARLEY LSP	1
Pump Install, Midship PTO	1
PTO, Chelsea, 870-XDFJP-B5XV	1
PUMP SHIFT, DARLEY, PTO	1
	1
Pump Shift, Elec, PTO, "Stationary Pumping"	1
Pump Shift Control, Rocker Switch, Black w/ Green Lens	1
PUMP EQUIPMENT - DARLEY - LSP	1
Plumbing System, Darley	1
Pump Certification	1
Sct Relief Valve, TFT, A1821	1
Pump Primer, Trident, AirPrime	1
U.L. Test Points	1
Mater Drain, Trident, 10 Port, Rotary	1
THROTTLE/ GOVERNOR	1
Governor, FRC, PumpBoss Max	1
	4
GATED INTAKE(S), DARLEY	1
Aux Suction, 2.50" NST, LH Side, Pump Panel	
VIv Mfger, Darley, VB (2.50"), w/ FNST Swivel	
Intk VIv Cntrl, MnI Swing Type-Adjacent	1
Intake Trim, Aux Intk, Darley, Burgundy, RH Vert Swing Hndl	1
Plug, 2.50" Chrome, NST, w/ Chain	1
Drain, 0.75" Mnl, IC, 1/4 Turn	1
==== NO RH Aux Suction - PTS ====	1
TANK TO PUMP VALVE(S), DARLEY	1
Tank-To-Pump, 4.00" VIv w/ 4.00" plumbing	1
Valve, 4.00" Butterfly, Elec	1
VIv Cntrl, Elec, LH Pump Panel, w/ Indicator Lights	1
TANK FILL VALVE(S), DARLEY	1
Tank Fill/Cooling Line, Water Tank, 2.00"	1
VIv Mfger, Akron, Gen II, (2.00")	1
Vlv Cntrl, Push/Pull, 1/4 Turn, SM- IC	1
DISCHARGE, LH FRONT PANEL	1
Dschg, 2.50", LH Side, Pump Panel, Front	
Vlv Mfger, Darley, VB (2.50")	
VIv Cntrl, Lever, LH Side, Pump Panel	1
Gauge, Dschg, Noshok, 2.50", (0-400 psi), White Face	1
Drain, 0.75" Mnl, IC, 1/4 Turn	1
Dschg, Elbw, 30d, 2.50" NST, Chrome	1
Cap, 2.50" Chrome, NST, w/ Chain	1
	1
DISCHARGE, LH REAR PANEL	1
Dschg, 2.50", LH Side, Pump Panel, Rear	1
VIv Mfger, Darley, VB (2.50")	1
VIv Cntrl, Lever, LH Side, Pump Panel	1
Gauge, Dschg, Noshok, 2.50", (0-400 psi), White Face	1
Drain, 0.75" Mnl, IC, 1/4 Turn	1
Dschg, Elbw, 30d, 2.50" NST, Chrome	1
Cap, 2.50" Chrome, NST, w/ Chain	1
	•
DISCHARGE, RH FRONT PANEL	1
	•
	1

09	/07	7/2	022
----	-----	-----	-----

09/07/2022		Page 4
	DESCRIPTION	QTY
	Dschg, 2.50", RH Side, Pump Panel, Front	1
	Vlv Mfger, Darley, VB (2.50")	1
	Vlv Cntrl, Remote, Lever, LH Side, Pump Panel	1
	Gauge, Dschg, Noshok, 2.50", (0-400 psi), White Face	1
	Drain, 0.75" Mnl, IC, 1/4 Turn	1
	Dschg, Elbw, 30d, 2.50" NST, Chrome	1
	Cap, 2.50" Chrome, NST, w/ Chain	1
	DISCHARGE, RH REAR PANEL	1
		4
	Dschg, 2.50" RH Side, Pump Panel, Rear	1
	VIv Mfger, Darley, VB (2.50")	1
	VIv Cntrl, Remote, Lever, LH Side, Pump Panel	1
	Gauge, Dschg, Noshok, 2.50", (0-400 psi), White Face	1
	Drain, 0.75" Mnl, IC, 1/4 Turn	1
	Dschg, Elbw, 30d, 2.50" NST, Chrome	1
	Cap, 2.50" Chrome, NST, w/ Chain	1
	Lon Longer Orgen Terler (0) Headeada	1
	Crosslay Config, Super Tanker, (3) Hosebeds	1
		4
	DISCHARGE(S), CROSSLAYS	1
	Crosslay Dschg #1- One (1) 1.75", Above Mod	1
	Pre-Connect, Chicksan, 2.00" x 1.50" NST	1
	VIv Mfger, Akron, Gen II, (2.00")	1
	VIv Cntrl, Push/Pull, 1/4 Turn, SM- IC, w/ 2.50" Bzl	1
	Gauge, Dschg, Noshok, 2.50", (0-400 psi), White Face	1
	Drain, 0.75" Mnl, IC, 1/4 Turn	1
	L Oreceler Decky #2 One (1) 1 75" Above Med	1
	Crosslay Dschg #2- One (1) 1.75", Above Mod	1
	Pre-Connect, Chicksan, 2.00" x 1.50" NST	1
	Vlv Mfger, Akron, Gen II, (2.00")   Vlv Cntrl, Push/Pull, 1/4 Turn, SM- IC w/ 2.50" Bzl	1
	Viv Chtri, Push/Puli, 1/4 Turn, SM-TC W/ 2.50° BZI   Gauge, Dschg, Noshok, 2.50", (0-400 psi), White Face	1
	Gauge, Dscng, Nosnok, 2.50", (0-400 psi), white Face   Drain, 0.75" Mnl, IC, 1/4 Turn	1
	Drain, 0.75 Wini, 10, 1/4 Tuni	1
	Deadlay, Above Pump House, No Hose Connection	1
	Deaulay, Abuve Fullip house, no hose connection	
	MASTER GAUGES	1
	Mstr Gauges BEZEL Asmbly w/Test Taps, IC, 4.00" PSI	1
	MSU Gauges DEZEL ASTINIY W/TESUTAPS, 10, 4.00 FOI	
	TANK LEVEL INDICATOR(S), TANKER	1
	Water Level Gauge #1	1
	Wtr Lvl Gauge, Innovative Cntrls, Soft Glo, LH Pump Panel	1
	Water Level Gauge #2	1
	Wtr Lvl Gauge, Mini, Innovative Cntrls, Soft Glo, Cab	1
	PUMP ENCLOSURE	1
	Pump Module, Side, Aluminum, 36.00", (3) Crosslays	1
1	Pump Panels, Black Vinyl Clad Alum	1
	CROSSLAYS/ DUNNAGE AREA	1
	Crosslay Config, Super Tanker, (3) Hosebeds	1
	Crosslay Dividers, (2), 3/16" Alum	1
	Vinyl Crosslay Cover	1
	Vinyl Cover Color, Red	1
	PUMP PANEL/ ENCLOSURE LIGHTS	1
		•
	Pump Panel Lt Shield, LH Side, Alum	1
		•

09/07/2022	Page 5
DESCRIPTION	QTY
Pump Panel Lt, LED, Strip, 1500 Lumens	1
Pump Panel Lt Shield, RH Side, Alum	1
Pump Panel Lt, LED, Strip, 1500 Lumens	1
Lt, Cntrls, Switch on pump panel	1
Pump Compt. Lhts, (2), LED	1
1 · ··································	
PUMP MODULE RUNNING BOARDS	1
Running Brd, LH Pump Panel, Alum T/P, SM	1
Running Brd, RH Pump Panel, Alum T/P, SM	1
PUMP ENCLOSURE HEATERS and HEAT PANS and GASKET	1
Alum T/P Covers, Pump Module Sides	1
Alulii 1/F Covers, Fullip Module Sides	
	4
PUMP PANEL LABELING	1
Label, FAMA 22, Hose Restraint Required	
Label, FAMA 18, Intake and Discharge Cap Pressure	1
Label, FAMA 25, Trained Personal Only	1
Label, Pump ID Plate	1
Labels, Color Coded, Innovative Controls	1
Trim Panels, IC Color, Intks and Dschgs	1
== SUPER TANKER BODY - TANDEM AXLE, WETSIDE, STANDARD - 7.000 02/14/22 ==	1
WATER TANK	1
Water Tank, UPF Poly III, 3000 Gallon	1
Fill Tower, Anti-Surge, 14.00" x 14.00", <3500 Gals	1
Fill Tower, Lft, Frnt, Tank	1
Overflow Pipe, 6.00" I.D.	1
Sump, 4.00"	1
	1
Water Tank Clean-out & Plug, 4.00", w/ Flange Connection	1
Tank Mntg Blcks, (4) 36.50" x 12.00" x 1.00", (2) each side	
Tank Mntg Blck, 1.00" Rear Face	1
Notch, Rear Camera	1
	.
HOSEBED - HOSEBED COVERS - DIVIDERS - HOSE LOAD	1
Hose Bed, Double Wall	1
Hose Bed, Strge Cpcty, 80 Cubic Feet, Minimum	1
Hose bed floor, groved	1
Hsbd Cvr, vinyl, bungee w/ alum rope hook	1
Vinyl Cover Color, Red	1
DUMP VALVE(S)	1
Tank Modification for Rear Square Dump	1
Dump Valve, Rear, 10.00" SS, Manual, w/Swivel	1
DIRECT TANK FILL(S)	1
Tank Modification, Direct Tank Fill, Rear, LH Side, Std, 2.50" NPT	1
Direct Tank Fill, 2.50", Akron, LH Side, Rear	1
	1
Plug, 2.50" Chrome, NST, w/ Chain	1
Tank Medification Direct Tank Fill Dear DU Side Standard 4 00" NDT	
Tank Modification, Direct Tank Fill, Rear, RH Side, Standard, 4.00" NPT	1
Inlet Reducer, 4.00" MNPT x 2.50" F NPT	1
Direct Tank Fill, 2.50", Akron, RH Side, Rear	1
Plug, 2.50" Chrome, NST, w/ Chain	1
BODY CONSTRUCTION	1
Body, Super Tanker, Tndm Axl, ATP, 201", (4) Lwr Cmpts	1
I Fender Panels, Aluminum T/P, Radius Cut	1
Fenderettes, (4) 14 gauge, 304, SS	1
	1

09/07/2022	Page 6
DESCRIPTION	QTY
Four (4) Lower Compartments, ATP, Roll-Up Doors, 60/60/24/24	1
Door Type, Amdor, Roll-Up	1
LEFT SIDE LOWER COMPARTMENTS	1
L1, 60.00", Ahead Rr Whls - Low Comp't, Roll Up Dr	1
Amdor RU Door, Satin Finish	1
Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
L2, 24.00", Bhnd Rr Whls - Low Comp't, Roll Up Dr	1
Amdor RU Door, Satin Finish	1 1 1 1 1 1
Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
RIGHT SIDE LOWER COMPARTMENTS	1
R1, 60.00", Ahead Rr Whls - Low Comp't, Roll Up Dr	1
Amdor RU Door, Satin Finish	1
Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
R2, 24.00", Bhnd Rr Whls - Low Comp't, Roll Up Dr	1 1 1 1 1
Amdor RU Door, Satin Finish	1
Cmpt LED Strip Lht, Luma Bar, 12.00", Clear White, (1) Ea Cmpt	1
Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
EQUIPMENT STORAGE - SUPER TANKER, TANDEM AXLE	1
Portable Tank Storage, 3000 Gal, RH Side, Above Compts.	1
Portable Tank Capacity, 3000 Gallon, Alum	1
Suction Hose Storage, LH Side, Above Compts.	
Hose Capacity, (2) 10.00' Sections	1
REAR BODY DESIGN, SUPER TANKER, STANDARD	1
Rear Tailboard, Super Tanker, 2-Step, 96.00" w, 9.50" Bttm Step	1
REAR ACCESS STEPS - SUPER TANKER	<b>1</b>
Steps, Rear, Folding, (3), IC, 3004234	
Steps, Folding, RH Frnt, (4), IC, 3007732	1
EXTERIOR GRAB RAILS, TANKER/ PUMPER	1
	1
Grab Rails, (2), Rear Step, Vert   Grab Rail, (1), Left Hand, Front	1
Grab Rail, (1), Eight Hand, Front	1
== 12V ELECTRICAL SYSTEM - TANKER - 7.000 02/14/22 ==	1
12V ELECTRICAL STSTEWI - TANKER - 7.000 02/14/22	1
ELECTRICAL	1
Electrical 12V, Tanker, Class1, ES-Key System	1 1 1
Class1, Es-Key System	1
Low Volt Alarm Indic, Lht/Bzzr, Cole Hersee, 4112-RC	1
Switch Panel, Rocker, (8) Position	1
Switch, Master Warning, Rocker, Red w/ Red Lens	1
GROUND LIGHTING	1
Ground Lts, (2) Chassis, 2-Dr. LED	
Ground Lhts, (2) Pump Panel, LED, Supplied w/ Pump	1 1 1
Ground Lts, (2) Forward Rr Whls, LED	1
Ground Lts, (2) Rr Step, LED	1
Lt Swtch , Ground Lts w/ Park Brake	1
DOOR OPEN / HAZARD WARNING LIGHT INDICATOR SYSTEMS	1
Lht, Hazard, LED, Flashing, Red, Whln, OS	1
REAR DIRECTIONALS/ DOT LIGHTS	1

09/07/2022	Page 7
DESCRIPTION	QTY
Rear Brake/Tail/Turn/Backup, 4.00" Round, LED	1
Super/CJ Tanker Body LED Marker Lights	1
Marker Lts, 0.75" LED, DOT Required	1
Reflectors, Amber, (2), Frwd Side Body	1
Reflectors, Red, (4), Rear Body	1
Lht , License Plate, LED	1
==== NO Upper Body 12V Scene Lights - PTS ====	1
BACKUP CAMERA-TANKER	1
Rearview Camera, 7.00" Color Monitor	1
Monitor Location, Cab Dash	1
WARNING LIGHT PACKAGE, COMMERCIAL TANKER	1
Warning light flash pattern, Default NFPA	1
	1
Lht Bar, Whelen, Justice, JE2NFPA, 56.00", LED, 8 Red/ 2 White	1
White Lhts, "Blocking Right of Way"	1
Lt Bar Swtch, Rocker, Single Switch/ Master Warn, Cab   Lightbar Mount, MKEZ7	1
	1
UPPER LEVEL WARNING/ SCENE LIGHTS	1
Warn/ Scene Lts, Whelen, Side Facing Upr Frnt , (2) M9V2 LED	1
Wrn/ Scn Lt, Drvr, Whelen, M9V2, Red LED, Red Lens, Ea	1
Wrn/ Scn Lt, Offcr, Whelen, M9V2, Red LED, Red Lens, Ea	1
Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
Warn/ Scene Lts, Whelen, Side Facing Upr Rear, (2) M9V2 LED	1
Wrn/ Scn Lt, Drvr, Whelen, M9V2, Red LED, Red Lens, Ea	1
Wrn/ Scn Lt, Offcr, Whelen, M9V2, Red LED, Red Lens, Ea	1
Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	2
Warn/ Scene Lts, Whelen, Upper Rr, (2) M9V2 LED	1
Wrn/ Scn Lt, Drvr, Whelen, M9V2, Red LED, Red Lens, Ea	1
Wrn/ Scn Lt, Offcr, Whelen, M9V2, Red LED, Red Lens, Ea   Flange, Chrome, Wrn Lt, Whln, M9 Series, Ea	1
Upper Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	2
Left Scene Swtch, Rocker, Single Switch, Cab	1
Rear Scene Swtch, Rocker, Single Switch, Cab	1
Right Scene Swtch, Rocker, Single Switch, Cab	1
Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse	1
LOWER LEVEL WARNING LIGHTS	1
Wrn Lts, Whelen, Lower Warn Lt, (2) M6 Series LED	1
Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
Wrn Lts, Whelen, Intrsct, (2) M6 Series LED   Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Wrn Lt, Offcr, Whelen, Mo Series, Red LED, Red Lens, Ea	1
Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
Wrn Lts, Whelen, Low Mid Bdy (2) M6 Series LED	1
Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
Wrn Lts, Whelen, Low Rr (2) M6 Series LED	1
Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2

09/07/2022	Page 8
DESCRIPTION	QTY
Lower Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
UPPER BEACONS	1
Beacons, Whelen, L31, LED	1
Colors	1
Driver Side, L31HRF, Red w/ Red Lens	1 1 1
Officer Side, L31HRF, Red w/ Red Lens	1
Beacon Lt. Swtch, w/ Upper Warning	1
Stanchions, (2), SS, L31/L32	1
AUDIBLE WARNING, COMMERCIAL TANKER	1
Siren, Whelen, 295SLSA1, 100/200 watt	1
Spkr, Fed Sig, 100 Watt, Dynamax, RH Side	1
Label, FAMA #42: "Siren Noise"	1
== PAINT/ PREP/ STRIPE/ WETSIDE TANKER, TANDEM AXLE - 7.000 02/14/22 ==	1
PAINT AND FINISH	1
Paint Finish, Wetside Tnkr, PPG DelfleetEvolution	1
Wetside Tank, Painted to Match Chassis, 2500-3500 Gallon	1
Undercoating, Body, Tandem Axle	1
Compartment Interiors, Unfinished	1
Wheel Rims, As Provided with Chassis	1
LETTERING AND STRIPING	1
Reflective Lettering, Direction of the Dept.	1
Reflective Striping, Direction of the Dept.	
Rear Chevron Striping, Red/ Fluorescent Yellow-Green	1
Accent Stripe, Tank Outline, Sides, 1/2", Gold	1
Fouts Logo Plates, (3)	1
== LOOSE EQUIPMENT - TANKER, TANDEM AXLE - 7.000 02/14/22 ==	1
FOLDING TANK	1
Folding Tank, Husky, 3000 Gal, 22oz Red Vinyl Liner, Alum Frame	1
HARD SUCTION HOSE(S)	1
Suction Hose, PVC, Kochek, 6.00" x 10.00', LHF X RLM	2
== WARRANTY- TANKER, COMMERCIAL - 7.000 02/14/22 ==	1
WARRANTY REQUIREMENTS	1
General Warranty, (1) Year	1
Structural Warranty, (10) Year	1
Plumbing Warranty, Stainless Steel, (10) Year Paint Warranty, (5) Year, PPG	1
Tank Warranty, UPF, Lifetime	1
	1
Electrical Warranty, (2) Year	