



QUOTATION

Quote No:	10484-0001	
ADMIN:	FB-02-0010	ADMINISTRATIVE - PUMPER
DIMENSIONS:	FB-11-0010	DIMENSIONS - PUMPER, SINGLE AXLE
NFPA 1901:	FB-05-0010	NFPA 1901 REQUIREMENTS - PUMPER
CHASSIS:	FB-08-0010	CHASSIS, CUSTOM - FB-94
CHASS MOD:	FB-12-0010	PUMPER -FB-94, CHASSIS MODS
PLUMBING:	FB-20-0020	PUMP & PLUMBING - FB-94
BODY:	FB-40-0020	PUMPER BODY, SINGLE AXLE, CUSTOM
ELEC-12VDC:	FB-50-0010	12V ELECTRICAL SYSTEM - FB-94
PAINT:	FB-70-0015	PAINT/ PREP/ STRIPE/ PUMPER
LSE-EQUIP:	FB-80-0010	PUMPER - LOOSE EQUIPMENT
WARRANTY:	FB-10-0010	WARRANTY- PUMPER, FB-94

12/05/2022

Page 1

DESCRIPTION	QTY
== ADMINISTRATIVE - PUMPER - 7.000 02/14/22 ==	1
Cover Page - Pumper, FB-94, Custom	1
Terms of Payment, 100% at Delivery	1
Delivery Date Requirements, 120 Days After Receipt of Chassis	1
Vehicle Pickup at Factory	1
-- Fuel/DEF Tnks, Full at Delivery	1
== DIMENSIONS - PUMPER, SINGLE AXLE - 7.000 02/14/22 ==	1
==== NO Overall Height Restriction, PTS =====	1
==== NO Overall Length Restriction, PTS =====	1
==== NO Overall Width Restriction - PTS =====	1
==== NO Overall Wheelbase Restriction - PTS =====	1
==== NO Overall Pump Module Width Restriction, PTS =====	1
==== NO Angle of Approach Restriction, PTS =====	1
==== NO Angle of Departure Restriction, PTS =====	1
== NFPA 1901 REQUIREMENTS - PUMPER - 7.000 02/14/22 ==	1
NFPA 1901-2016	1
NFPA 1901-2016 Compliance, Pumper	1
-- Center of Gravity, Calculated	1
-- Road Test Certification	1
-- Vehicle Top Speed, 65-68 mph	1
PLACARDS and LABELING	1
-- Label, FAMA #7: Seated and Belted	1
-- Label, FAMA #10: Cab Equipment Mounting	1
-- Label, FAMA #15: "Helmet Worn in Cab"	1
-- Label, FAMA #17: "Vehicle Backing"	1
-- Label, FAMA #42: "Siren Noise"	1
-- Labels, "Do Not Move Apparatus"	1
-- Label, Chassis Data Labels, 1901	1
-- Label, Overall Height, Length, GVWR	1
-- Label, Warning, "No Ride Rear Step"	1

DESCRIPTION	QTY
== CHASSIS, CUSTOM - FB-94 - 7.000 02/14/22 ==	1
CUSTOM CHASSIS	1
Chassis, Custom, Supplied By Fouts Bros.	1
-- Chassis, Spartan FC-94, See Attached Specs	1
== PUMPER -FB-94, CHASSIS MODS - 7.000 02/14/22 ==	1
WHEEL TRIM and COVERS	1
-- Wheel Trim, Single Axle, Chrome, Frnt Cvr, Rr High Hats, & Lug Nut Cvr	1
EXHAUST SYSTEMS	1
-- Chassis Exhaust - Chassis Supplied	1
FRONT BUMPER - CUSTOM CHASSIS	1
-- Front Bumper - Chassis Supplied	1
MUD FLAPS	1
-- Front Mud Flaps, (2) - Chassis Supplied	1
-- Rear Mud Flaps, (2), Fouts Logo	1
VEHICLE DATA RECORDER AND SEATBELT MONITOR SYS	1
-- VDR / Seat Belt Warning System, Supplied w/ Chassis	1
-- VDR Download Harness, Weldon	1
BATTERY SYSTEMS and SHORELINE PLUG-INS	1
-- Battery System - Chassis Supplied	1
-- Battery Jumper Studs - Chassis Supplied	1
-- Ignition Swtch, Keyless - Chassis Supplied	1
-- Master Battery Disconnect Switch - Chassis Supplied	1
-- Kusssmaul, PP 1200 PLC, 091-9-12V Air Comp, 20amp Eject, Cover w/ Graph Display	1
-- Batt Cond Display/ Deluxe Cover, 091-55-234-YW, Yellow	1
-- Auto Eject Location, Per Manufacturer	1
BACK UP ALARM	1
-- Back Up Alarm - Chassis Supplied	1
12 VOLT POWER SOURCES	1
== PUMP & PLUMBING - FB-94 - 7.000 02/14/22 ==	1
PUMP	1
Pump Package, Sidemount, Hale, Qmax, Midship	1
-- Fire Pump, Hale, QMAX, 1 Stage, Midship	1
-- Pump Warranty, Hale, 5 Yr (2 Yr Prts & Lbr, Prts Only Yrs 3-5)	1
-- Gearbox, QMax, "X"	1
-- Pump Seal, Mechanical, Hale	1
-- Pump Flow Rating, Hale, QMAX, 1500 GPM	1

DESCRIPTION	QTY
-- Intake, 6.00", NST, Ungated, LH Side, Pump Panel	1
-- Standard Suction Tube Length	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
-- Intake, 6.00", NST, Ungated, RH Side, Pump Panel	1
-- Standard Suction Tube Length	1
-- Cap, 6.00", Chrome Long Hndl, NST, Fouts Logo	1
PUMP MODS	1
-- Pmp Sys Lock-Up, Chassis Trans	1
-- Driveline Mod, Pump Install, Qflo/Qmax	1
PUMP SHIFT, HALE, MIDSHIP	1
-- Pump Shift, Hale, Supl'd w/Custom Chassis	1
PUMP EQUIPMENT, HALE	1
-- Plumbing System, Hale	1
-- Valves: Akron, Gen II	1
-- Drains, 0.75" Mnl, Class1, 1/4 Turn	1
-- Discharge Gauges, Class1, 2.50", (0-400 psi), White Face	1
-- Gauge Bezels, Class1, Chrome	1
-- Pump Certification	1
-- Intake Relief Valve, Hale, NST	1
-- Pump Primer, Trident, Manual, AirPrime, 3 Barrel	1
-- Thermal Relief Valve, TRV-120	1
-- Pump Cooler/ Bypass Line, 0.25"	1
-- Anodes, (3), Alloy: 2 Suction, 1 Discharge, Hale	1
PRESSURE GOVERNOR	1
-- Governor, FRC, Pump Boss	1
TANK TO PUMP VALVE, HALE	1
-- Tank to Pump Line, 3.00", Manual	1
TANK FILL VALVE, HALE	1
-- Valve, Tank Fill, 2.00", Manual	1
DISCHARGES	1
DISCHARGE, LH FRONT PANEL	1
-- Dschg, 2.50", LH Side, Pump Panel, Frnt	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain, Class1	1
DISCHARGE, LH REAR PANEL	1
-- Dschg, 2.50", LH Side, Pump Panel, Rr	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain, Class1	1
DISCHARGE, RH FRONT PANEL	1
-- Dschg, 3.00", RH Side, Pump Panel, Frnt	1

DESCRIPTION	QTY
-- Dschg, Elbw, 30d, 3.00" MNST, Integral, Class1	1
-- Adapter, TFT, 5.00" Storz x 3.00" FNST Rigid RL	1
-- Cap, TFT, 5.00" Storz w/ Lanyard	1
DISCHARGE, RH REAR PANEL	1
-- Dschg, 2.50", RH Side, Pump Panel, Rr	1
-- Dschg, Elbw, 30d, 2.50" MNST, Integral, Class1	1
-- Cap, 2.50" Chrome, NST, w/ Chain, Class1	1
UPPER MODULE AREA	1
DISCHARGE(S), CROSSLAYS	1
-- Crosslay Dschg, Two (2) 1.75", Above Mod	1
-- Dunnage Area	1
-- Crosslay Divider, (1), 3/16" Alum	1
-- Crosslay Cover, 3/16" ATP	1
-- Crosslay Ends, Vinyl Flap, Shock Cord/ Hook, Red	1
MONITOR OUTLET	1
-- Monitor Dschg, 3.00", Over Pump Enc, Manual	1
-- Dck Gun Adapt, 4 Bolt (Akron/Elkhart)	1
-- ===== NO Deck Gun Supplied - PTS =====	1
DISCHARGE, RH REAR OF BODY	1
-- Dschg, 2.50", RH Side, Rear	1
-- Dschg, Elbw, 30d, 2.50" NST, Chrome	1
-- Cap, 2.50" Chrome, NST, w/ Chain	1
MASTER GAUGES	1
-- Gauge, Master Press, Class1, 4.50", 0-400#, Wht, Blk Ltrs	1
-- Gauge, Master Intake, Class1, 4.50", -30-400#, Wht, Blk Ltrs	1
TANK LEVEL INDICATOR(S)	1
-- Water Lvl Gauge, Class1 "ITL-40R", Red, LH Pump Panel	1
-- Water Lvl Gauge, Hale, 610-00049, Mini, Cab	1
PUMP ENCLOSURE	1
-- Pump House, Side Mount, Ext Alum, 42.00"	1
PUMP PANEL SURFACE -- MIDSHIP and PTO	1
-- Pump Panels, 14 GA, Brushed Finish, 304 SS	1
PUMP PANEL/ ENCLOSURE LIGHTS	1
-- Pump Panel Lt, LH Side, LED, Strip	1
-- Pump Panel Lt, RH Side, LED, Strip	1
-- Lt, Cntrls, Switch on pump panel	1
-- Pump Compt. Lhts, (2), LED	1

DESCRIPTION	QTY
PUMP MODULE RUNNING BOARDS	1
-- Running Brd, LH Pump Panel, Alum T/P	1
-- Running Brd, RH Pump Panel, Alum T/P	1
PUMP ENCLOSURE HEATERS and HEAT PANS and GASKET	1
-- Alum T/P Cover, Pump Module, Front - Inc w/ Module	1
-- Alum T/P Cover, Pump Module, Rear	1
-- ===== NO Pump House Heater - PTS =====	1
-- ===== NO Pump House Heat Pan - PTS =====	1
PUMP PANEL LABELING	1
-- Label, FAMA 22, Hose Restraint Required	1
-- Label, FAMA 18, Intake and Discharge Cap Pressure	1
-- Label, FAMA 25, Trained Personal Only	1
-- Label, Pump ID Plate, IC	1
-- Labels, Color Coded, Innovative Controls	1
== PUMPER BODY, SINGLE AXLE, CUSTOM - 7.000 02/14/22 ==	1
WATER TANK	1
Water Tank, UPF, 1000 Gallon, Poly	1
-- Fill Tower/ Vent, 10.00" x 10.00"	1
-- Fill Tower, Lft, Frnt, Tank	1
-- Overflow Pipe, 4.00" I.D.	1
-- Sump, 3.00"	1
-- Water Tank Clean-out & Plug, 3.00"	1
-- Hose Bed, Dimensions: 74" W x 27" T x 158" L	1
-- Hosebed, Divider, 1/4" Alum, Ea	1
-- Hose Bed Cvr, Vinyl, <150 L, <74" W, Velcro	1
-- Vinyl Cover Color, Red	1
BODY CONSTRUCTION - FB-94 - 168.00" Body (78 C/A)	1
-- Body, 168.00" Alum, Highside/ Highside, RU Door	1
-- 98.00" OAW, Single Axle, High Side Left/ High Side Right Side	1
-- Cmpt Height, LH Side, 66.00"	1
-- Cmpt Height, RH Side, 66.00"	1
-- Cmpt Depth, LH Side, 25.00"	1
-- Cmpt Depth, RH Side, 25.00"12"	1
-- Door Type, Amdor, Roll-Up	1
LEFT HAND SIDE COMPARTMENTS - HIGH SIDE	1
-- L1, Ahd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 48.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Ahd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, Alum, Adjustable, Full Depth, ea	1
-- L2, Upr Hgh Sde - Sgle Comp't- Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 19.00", Clear White, (1) Ea Cmpt	1

DESCRIPTION	QTY
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Upr Hgh Sde Cmpt(s), Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (2), Alum	1
-- Shelf, Alum, Adjustable, Half Depth, ea	1
-- L3, Bhnd Rr Whls - Full Ht Comp't- Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 48.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Bhnd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, Alum, Adjustable, Full Depth, ea	1
RIGHT HAND SIDE COMPARTMENTS - HIGH SIDE	1
-- R1, Ahd Rr Whls - Full Ht Comp't - Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 48.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Ahd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, Alum, Adjustable, Full Depth, ea	1
-- R2, Upr Hgh Sde - Sgle Comp't- Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 19.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Upr Hgh Sde Cmpt(s), Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (2), Alum	1
-- Shelf, Alum, Adjustable, Half Depth, ea	1
-- R3, Bhnd Rr Whls - Full Ht Comp't- Roll Up Dr	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 48.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Bhnd Rr Whls, Cmpt Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
-- Shelf, Alum, Adjustable, Full Depth, ea	1
READY BODY DESIGN - EXTENDED REAR COMPTS.	1
-- CR1, Rr Cntr Comp't - Half Ht Roll Up	1
-- Amdor RU Door, Satin Finish	1
-- AMDOR OPTION: Lock, Manual, Key Type: J236	1
-- Cmpt LED Strip Lht, Luma Bar, 31.00", Clear White, (1) Ea Cmpt	1
-- Cmpt Lt, Dr Swtch, Amdor, Magnetic, Ea	1
-- Rr Cmpt, Cmpt, Provisions, Pumper	1
-- Uni-Strut Tracks, vert, (4), Alum	1
EQUIPMENT - BODY MOUNTED	1
-- Suction Hose Storage, Tray, LH, Above Compts	1
-- Suction Hose Storage, Tray, RH, Above Compts	1
-- Ladder Capacity, 24 ft 2-Sec, 14 ft Roof, 10 ft Folding	1
-- Ladder Supplier, Manufacturer	1
-- Pike Pole Mtg, In Ladder Tunnel, (2)	1
-- Pike Pole Supplier, Purchaser	1
COMMON BODY OPTIONS - PUMPER - SINGLE AXLE	1

DESCRIPTION	QTY
WHEEL WELL PANEL - PROVISIONS	1
-- Whl Well Area, LH, Ahd of Whls	1
-- Whl Well Cmpt, Sngl SCBA Tube, Brushed Stainless Door	1
-- Whl Well Area, LH, Bhnd Whls	1
-- Whl Well Cmpt, Sngl SCBA Tube, Brushed Stainless Door	1
-- Whl Well Prv, Fuel Door, Alum Dr	1
-- Whl Well Area, RH, Ahd of Whls	1
-- Whl Well Cmpt, Sngl SCBA Tube, Brushed Stainless Door	1
-- Whl Well Area, RH, Bhnd Whls	1
-- Whl Well Cmpt, Sngl SCBA Tube, Brushed Stainless Door	1
REAR ACCESS STEPS - PUMPER	1
-- Steps, Folding, RH Rear (4), 3004234, w/ (2) LED Stp Lts	1
-- Lt, Cntrls, Work/ Step Lts, Park Brake	1
-- Steps, Folding, RH Front, (4), 3007732, w/ (2) LED Stp Lts	1
-- Lt, Cntrls, Work/ Step Lts, Park Brake	1
EXTERIOR GRAB RAILS, PUMPER	1
-- Grab Rails, (2), Rear Step, Vert	1
-- Grab Rail, (1), Right Hand, Front	1
== 12V ELECTRICAL SYSTEM - FB-94 - 7.000 02/14/22 ==	1
ELECTRICAL	1
Electrical, 12V, NFPA 1901, FB-94	1
GROUND LIGHTS	1
-- Ground Lts, Cab, Supl'd w/Custom Chassis	1
-- Ground Lhts, (2) Pump Panel, LED, Supplied w/ Pump	1
-- Ground Lhts, (2) Front Body, LED	1
-- Ground Lhts, (2) Rr Step, LED	1
-- Lht Swtch , Ground Lts w/ Park Brake	1
DOOR OPEN / HAZARD WARNING LIGHT INDICATOR SYSTEMS	1
-- Hazard/ Door Ajar Light Supl'd w/Custom Chassis	1
-- Rear Brake/Tail/Turn/Backup, Whelen M6	1
-- Tail/Brake Lts, Whelen, LED, M6, Red Lens (Pair)	1
-- Turn Signals, Whelen, LED w/ Arrow, M6, Amber Lens (Pair)	1
-- Backup Lts, Whelen, LED, M6 (Pair)	1
-- Tail Lt Bezel, 4 Lts, Whln M6 (Pair), ABS Chrome	1
-- ===== NO Midship Turn Signal - PTS =====	1
-- Marker Lts, 0.75" LED, DOT Required	1
-- Reflectors, Amber, (2), Frwd Side Body	1
-- Reflectors, Red, (4), Rear Body	1
-- License Plate, Bracket, w/ LED Lt.	1
SCENE LIGHT(S) - UPPER	1
-- Scene Lts, Whelen, Side Facing Upper Cab, (2) M9LZC	1
-- Scene Lt, Drvr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lt, Offcr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lts, Whelen, Side Facing Upper Frnt, (2) M9LZC	1

DESCRIPTION	QTY
-- Scene Lt, Drvr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lt, Offcr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lts, Whelen, Side Facing Upper Rear, (2) M9LZC	1
-- Scene Lt, Drvr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lt, Offcr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lts, Whelen, Upper Rear Body, (2) M9LZC	1
-- Scene Lt, Drvr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
-- Scene Lt, Offcr, Whelen, M9LZC, LED, Chrme Bzl, Ea	1
WARNING LIGHT PACKAGE, CUSTOM PUMPER	1
-- Warning light flash pattern, Default NFPA	1
-- Alternating Headlight Flasher, Supl'd w/Custom Chassis	1
LIGHTBAR	1
-- Lht Bar, Whelen, Freedom IV, F4N7QLED, 72.00", LED, 8 Red/ 2 White	1
-- Lt Bar Swtch, Rocker, Single Switch/ Master Warn, Cab	1
LOWER LEVEL WARNING LIGHTS	1
-- Wrn Lts, Whelen, Lower Warn Lt, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Bezel(s), Frnt Cab Fascia, Whln, M6	2
-- Wrn Lts, Whelen, Intrsct, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	1
-- Wrn Lts, Whelen, Cab Side, (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M6 Series, Ea	2
-- Wrn Lts, Whelen, Low Mid Bdy (2) M7 Series LED	1
-- Wrn Lt, Drvr, Whelen, M7 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M7 Series, Red LED, Red Lens, Ea	1
-- Flange, Chrome, Wrn Lt, Whln, M7 Series, Ea	2
-- Wrn Lts, Whelen, Low Rr (2) M6 Series LED	1
-- Wrn Lt, Drvr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Wrn Lt, Offcr, Whelen, M6 Series, Red LED, Red Lens, Ea	1
-- Bezel(s), Tail lhts	2
-- Lower Warn Lt. Swtch, Rocker, Single Switch/ Master Warn, Cab	1
	1
	1
	1
	1
	1
	1
	1
AUDIBLE WARNING, CUSTOM PUMPER	1
-- Siren, Whelen, 295HFS2, 100/ 200 watt	1
-- Spkr, Fed Sig, 100 Watt, Dynamax, RH Side	1
== PAINT/ PREP/ STRIPE/ PUMPER - 7.000 02/14/22 ==	1
PAINT AND FINISH	1

DESCRIPTION	QTY
Cab, Standard Color	1
Paint Finish, Pumper, Single Axle	1
Paint Finish, PPG Delfleet	1
Anti-Corrosion Protection	1
Undercoating, Pumper, Single Axle	1
Compt Interiors, Zolatone, Apollo Grey	1
Wheel Rims, As Provided with Chassis	1
LETTERING AND STRIPING	1
==== NO Reflective Lettering - Purchaser Supplied ====	1
Rear Chevron Striping, Red/ Fluorescent Yellow-Green	1
Fouts Logo Plates, (3)	1
== PUMPER - LOOSE EQUIPMENT - 7.000 02/14/22 ==	1
HARD SUCTION HOSE(S)	1
-- Suction Hose, PVC, Kocheck, 6.00" x 10.00', LHF X RLM	2
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
GROUND LADDERS	1
-- Ladder, 24', Ext, 2-Sect, Alco-Lite, PEL-24	1
-- Ladder, 14' Roof, Alco-Lite, PRL-14	1
-- Ladder, 10' Folding Attic, Alco-Lite	1
PIKE POLES	1
== WARRANTY- PUMPER, FB-94 - 7.000 02/14/22 ==	1
WARRANTY REQUIREMENTS	1
General Warranty, (1) Year	1
Body Warranty, Alum, (10) Year	1
Plumbing Warranty, Stainless Steel, (10) Year	1
Paint Warranty, (5) Year	1
Tank Warranty, UPF, Lifetime	1
Electrical Warranty, (2) Year	1
Akron Brass Warranty, (10) Year Valves, (5) Year Elec	1