

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


BULLDOG STOCK



FRONT EXTERIOR VIEW
CHIEF XL-I/F550 4X4-DIESEL CHASSIS

DRAWING NO.
12-13-23 | CPQ# 9058
DWG. | REV. | BULLDOG-1

DATE:



DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


BULLDOG STOCK



REAR EXTERIOR VIEW CHIEF XL-I/F550 4X4-DIESEL CHASSIS

CPQ# 9058


BULLDOG-2



BULLDOG STOCK

CHIEF XL-I/F550 4X4-DIESEL CHASSIS


BULLDOG-3



BULLDOG STOCK

CHIEF XL-I/F550 4X4-DIESEL CHASSIS

BULLDOG-4



#1 DOOR OPENING: 11.50h x 31.50w
INSIDE DIMS: 13.25h x 33.00w x 17.25d
(1) ADJ SHELF EACH SIDE OF CENTER DIVIDER
RESTOCKING—SLIDING POLYCARBONATE DOORS
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 DOOR OPENING: 11.50h x 46.50w
INSIDE DIMS: 13.25h x 48.00w x 17.25d
(1) ADJ SHELF EACH SIDE OF CENTER DIVIDER
RESTOCKING—SLIDING POLYCARBONATE DOORS
TOTAL CABINET WEIGHT RATING = 25 lbs.

#3 DOOR OPENING: 26.50h x 26.75w
INSIDE DIMS: O.S.S. #3
HINGED POLYCARBONATE DOORS WITH FULL LENGTH
HANDLES AND CENTER SQUEEZE LATCHES
TOTAL CABINET WEIGHT RATING = 40 lbs.

#4 (2) PULL-OUT DRAWERS TOWARDS AISLE INSIDE DIMS: 4.50h x 12.75w x 12.75d LOCKING STAINLESS STEEL FLUSH PULL LATCHES. TOTAL DRAWER WEIGHT RATING = 10 lbs. EACH

#5 PULL-OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE INSIDE DIMS: 4.50h x 14.50w x 13.25d LOCKING STAINLESS STEEL FLUSH PULL LATCH TOTAL DRAWER WEIGHT RATING = 10 lbs.

CABINET FRAME RESTOCKING #1 & #2
CABINETS WITH INVENTORY CONTROL SYSTEM


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK



STREETSIDE INTERIOR VIEW
CHIEF XL-I

DATE: 12-13-23 DWG. REV. BT A



COMPARTMENT

#1 DOOR OPENING: 30.00h x 7.25w
INSIDE/OUTSIDE ACCESS TO OSS #4B
HINGED POLYCARBONATE DOOR WITH FULL LENGTH
HANDLE AND CENTER SQUEEZE LATCH
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 INSIDE DIM'S: 14.25h x 77.00w x 21.00d

#3 DOOR OPENINGS: 6.25h x 29.25w
INSIDE DIMS: 6.25h x 29.25w x 10.25d
TOP HINGED POLYCARBONATE DOORS WITH
CENTER SQUEEZE LATCHES
43" MINIMUM HEADROOM BELOW THE CABINET
CABINETS DO NOT HAVE WEIGHT RATING

#4 CABINET WITH SOLID ACRYLIC COUNTERTOP

(2) PULL-OUT DRAWERS TOWARDS AISLE.

INSIDE DIMS: 6.25h x 11.50w x 12.75d

SHARPS/WASTE DRAWER BELOW UPPER

DRAWERS. ALL DRAWERS HAVE LOCKING

STAINLESS STEEL FLUSH PULL LATCHES.

TOTAL DRAWER WEIGHT RATING = 10 lbs. EACH

CABINETS WITH INVENTORY CONTROL SYSTEM


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK



CURBSIDE INTERIOR VIEW
CHIEF XL-I

DATE:
12-13-23
DWG. REV.
BT A




THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK




PARTITION INTERIOR VIEW CHIEF XL-I

12-13-23 REV.



BULLDOG STOCK





[[[]] = (2) RECESSED CEILING IV HANGER LOCATIONS

■ = (1) CEILING OXYGEN OUTLET

* (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER FLOOR PLATE AND 12V PRE WIRE FOR CUSTOMER FUTURE INSTALL OF A POWER OR PERFORMANCE COT LOAD SYSTEM COT SHOWN FOR REFERENCE ONLY

MODULE WIDTH = 96" MODULE LENGTH = 169" MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK



FLOOR INTERIOR VIEW CHIEF XL-I

DATE: 12-13-23
DWG. REV. PT Δ